COMMONWEALTH of VIRGINIA

The Natural Communities of Virginia: Ecological Groups and Community Types



Virginia Department of Conservation and Recreation
Division of Natural Heritage
Natural Heritage Technical Report 13-16
July 2013

Cover photos by Gary Fleming

This report can be cited as:
Fleming, Gary P. and Karen D. Patterson 2013. Natural Communities of Virginia: Ecological Groups and Community Types. Natural Heritage Technical Report 13-16. Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, Virginia. 36 pages.

The Natural Communities of Virginia: Ecological Groups and Community Types

a listing with conservation status ranks

July 2013

Virginia Department of Conservation and Recreation
Division of Natural Heritage
600 East Main Street, 24th Floor
Richmond, Virginia 23219

List Compiled by

Gary P. Fleming, Vegetation Ecologist
Karen D. Patterson, Vegetation Ecologist

Table of Contents

Page

INTRODUCTION I

CLASSIFICATION STRUCTURE i
RELATIONSHIP TO THE USNVC AND NATURESERVE'S ECOLOGICAL SYSTEM CLASSIFICATION iii
CHANGES TO ECOLOGICAL COMMUNITY GROUPS SINCE VERSION 2.3 AND COMMUNITY TYPES SINCE 2011 iv
FORMAT OF THE LIST iv
FUTURE PLANS v
FEEDBACK v

NATURAL COMMUNITIES OF VIRGINIA: ECOLOGICAL GROUPS AND COMMUNITY TYPES, A LISTING WITH CONSERVATION RANKS 1

ECOLOGICAL GROUPS (listed here alphabetically)
Acidic Cove Forests 3
Acidic Oak - Hickory Forests 4
Appalachian Bogs 14
Bald Cypress - Tupelo Swamps 11
Basic Mesic Forests 3
Basic Oak - Hickory Forests 4
Calcareous Fens 15
Calcareous Spring Marshes and Muck Fens 15
Carolina Hemlock Forests 5
Central Appalachian Shale Barrens 8
Coastal Plain / Piedmont Acidic Seepage Swamps 17
Coastal Plain / Piedmont Basic Seepage Swamps 17
Coastal Plain / Piedmont Bottomland Forests 12
Coastal Plain / Piedmont Seepage Bogs 17
Coastal Plain Depression Wetlands 17
Coastal Plain Dry Calcareous Forests and Woodlands 6
Dry-Mesic Calcareous Forests 4
Eastern Hemlock - Hardwood Forests 5
Eastern White Pine - Hardwood Forests 5
Floodplain Ponds and Pools 11
Fluvial Terrace Woodlands 10
Granitic Flatrocks 8
High-Elevation Boulderfield Forests and Woodlands 1
High-Elevation Cove Forests 1
High-Elevation Outcrop Barrens 2
High-Elevation Seepage Swamps 14
High-Energy Tidal River Shores 24
Inland Salt Marshes 16
Interdune Swales and Ponds 20
Lichen / Bryophyte Nonvascular Boulderfields and Outcrops 8
Limestone and Dolomite Barrens 7
Loblolly Pine Savannas 10
Low-Elevation Acidic Outcrop Barrens 7
Low-Elevation Basic Outcrop Barrens 7
Low-Elevation Boulderfield Forests and Woodlands 6
Mafic Fens and Seeps 15
Maritime Dune Grasslands 9
Maritime Dune Scrub 9
Maritime Dune Woodlands 9
Maritime Swamps 20

Table of Contents (continued)

Page

Maritime Upland Forests 9
Mesic and Wet-Mesic Prairies 15
Mesic Mixed Hardwood Forests 3
Montane Depression Wetlands 15
Montane Dry Calcareous Forests and Woodlands 6
Montane Mixed Oak and Oak - Hickory Forests 4
Montane Woodland Seeps 14
Mountain / Piedmont Acidic Cliffs 7
Mountain / Piedmont Acidic Seepage Swamps 14
Mountain / Piedmont Acidic Woodlands 5
Mountain / Piedmont Basic Seepage Swamps 14
Mountain / Piedmont Basic Woodlands 6
Mountain / Piedmont Calcareous Cliffs 7
Non-Riverine Flatwoods and Swamps 18
Northern Hardwood Forests 1
Northern Red Oak Forests 2
Northern White-Cedar Slope Forests 3
Oak - Hickory Woodlands and Savannas 6
Oak / Heath Forests 5
Peatland Atlantic White-Cedar Forests 19
Piedmont / Coastal Plain Oak - Beech / Heath Forests 5
Piedmont / Mountain Floodplain Forests 11
Piedmont / Mountain Small-Stream Alluvial Forests 13
Piedmont / Mountain Swamp Forests 11
Piedmont Hardpan Forests 6
Piedmont Prairies 8
Pine - Oak / Heath Woodlands 5
Pine / Scrub Oak Sandhills 10
Pond Pine Woodlands and Pocosins 19
Rich Cove and Slope Forests 3
Riverine Aquatic Beds 21
Riverside Outcrop Barrens 8
Riverside Prairies 12
Rocky Bars and Shores 12
Salt Flats 24
Salt Scrub 24
Sand / Gravel / Mud Bars and Shores 12
Sea-Level Fens 20
Semipermanent Impoundments 11
Southern Appalachian Shrub and Grass Balds 1
Spray Cliffs 16
Spruce and Fir Forests 1
Tidal Bald Cypress Forests and Woodlands 23
Tidal Freshwater and Oligohaline Aquatic Beds 24
Tidal Freshwater Marshes 22
Tidal Hardwood Swamps 23
Tidal Mesohaline and Polyhaline Aquatic Beds 24
Tidal Mesohaline and Polyhaline Marshes 23
Tidal Oligohaline Marshes 22
Tidal Shrub Swamps 23
Ultramafic Woodlands and Barrens 8
Upland Depression Swamps 17
Upper Beaches and Overwash Flats 25
Wind-Tidal Oligohaline Marshes 22

APPENDICES **26**

APPENDIX A. CHANGES TO ECOLOGICAL GROUPS AND COMMUNITY TYPES 28
APPENDIX B. DEFINITIONS OF GLOBAL AND SUBNATIONAL (STATE) CONSERVATION STATUS RANKS 32
APPENDIX C. NUMBER OF CLASSIFIED COMMUNITY TYPES BY CONSERVATION STATUS RANK. 36

INTRODUCTION

The Virginia Department of Conservation and Recreation's Division of Natural Heritage (DCR-DNH) was established to protect Virginia's biological diversity. DCR-DNH is the state's first comprehensive program for conservation of our natural heritage, and includes an intensive statewide biological inventory, field surveys, database management, environmental review, GIS analysis and mapping, and natural area protection and stewardship. Through its actions the Division identifies Natural Heritage Resources that are in need of conservation attention while creating an efficient means of evaluating the impacts of balanced economic growth. Natural Heritage Resources are defined in the Virginia Natural Area Preserves Act of 1989 (Section 10.1-209 through 217, Code of Virginia), as the habitats of rare, threatened, and endangered plant and animal species; exemplary natural communities, habitats, and ecosystems; and other natural features of the Commonwealth.

To help prioritize conservation efforts, DCR-DNH maintains Natural Heritage Resource lists of rare plants and animals. These lists are revised as new data become available, usually every one to two years. Natural communities are described, inventoried, and tracked using a hierarchical classification developed by DCR-DNH Ecologists. The classification provides a framework in which to describe natural communities at a scale that is meaningful for conservation and land protection and management.

This document lists the full classification hierarchy and includes the 94 ecological groups and 317 community types currently defined for Virginia. It is meant to function as a companion to the Division's website, which provides descriptions and illustrations of all Ecological Groups, as well as more detailed information about the methods used to develop the classification. The website and classification can be accessed at the following link: http://www.dcr.virginia.gov/natural_heritage/natural_communities/ncintro.shtml

Classification Structure

The divisions of the Virginia classification hierarchy, from the top down, are: System, Ecological Class, Ecological Community Group, and Community Type.

The **System** is the upper-most level of the classification hierarchy. The System level is based on gross hydrologic regime and includes five divisions: the **Terrestrial System** includes all upland (non-wetland) habitats, while the **Palustrine System** encompasses all non-tidal wetlands dominated by woody plants and herbaceous emergents. The **Estuarine System** includes emergent and floating / submergent tidal wetlands, extending to the upstream limits of tidal influence. The **Riverine System** and the **Marine System** are each represented by a single ecological group that supports vascular plants. This system-level treatment generally follows Cowardin et al. (1979), except that freshwater tidal wetlands are included in the Estuarine System, and some communities that would be placed in the Lacustrine System of Cowardin et al. (1979) are included in the Palustrine System. Classifications of deepwater Lacustrine, Riverine, Estuarine, and Marine System communities that lack vascular plants, as well as of Subterranean System (cave) communities, are currently under study or development by other groups of specialists.

Ecological Class is a level of the classification that is meant to aid in organizing ecological community groups. We have defined 14 Ecological classes to organize the natural communities of Virginia. These classes are not necessarily mutually exclusive, but serve to group physiographically and topographically related community groups, which often co-occur on the landscape. Each Ecological Class is described below:

Terrestrial Ecological Classes:

- *High-Elevation Mountain Communities* - Ecological community groups with distributions centered above 1,070 m (3,500 ft) elevation and representing structurally and compositionally diverse vegetation rich in northern species.
- *Low-Elevation Mesic Forests* - Ecological community groups with distributions centered below 1,070 m (3,500 ft) elevation and representing mesophytic to submesophytic forest vegetation. A few community types of the Rich Cove and Slope Forests, Acidic Cove Forests, and Eastern Hemlock - Hardwood Forests occasionally extend into the high-elevation zone (> 1,070 m).

- *Low-Elevation Dry and Dry-Mesic Forests and Woodlands* - Ecological community groups with distributions centered below 1,070 m (3,500 ft) elevation and representing xerophytic to submesophytic forest and woodland vegetation. A few community types of the Montane Mixed Oak and Oak-Hickory Forests, Oak / Heath Forests, and Pine - Oak / Heath Woodlands extend significantly into the high-elevation zone (> 1,070 m), but are retained in this Class because of their compositional similarity to other members of these groups.
- *Low-Elevation Rock Outcrops and Barrens* - Ecological community groups with distributions centered below 1,070 m (3,500 ft) elevation and representing edaphically (or in one case, fire-) controlled woodland, scrub, herbaceous, and moss/lichen vegetation.
- *Maritime Zone Communities* - Ecological community groups with distributions and vegetation controlled by oceanic influences (e.g., deep sand deposits, salt spray, maritime microclimates). In Virginia, these are confined to narrow zones along both flanks of the Eastern Shore, the western shore of the Chesapeake Bay, and the Atlantic shore in extreme southeastern Virginia.
- *Sandy Woodlands of the Coastal Plain and Outer Piedmont* - Ecological community groups representing woodland vegetation of oligotrophic, fire-influenced or edaphically stressful, non-marine sandy habitats at very low elevations.

Palustrine Ecological Classes:

- *Alluvial Floodplain Communities* - Ecological community groups of alluvial habits with overland, non-tidal flooding regimes. Structurally and compositionally diverse vegetation is represented.
- *Non-Alluvial Wetlands of the Mountains* - Ecological community groups of groundwater-controlled, non-alluvial wetlands in the mountain region, including seeps, bogs, fens, and ponds. Structurally and compositionally diverse vegetation is represented.
- *Non-Alluvial Wetlands of the Coastal Plain and Piedmont* - Ecological community groups of groundwater-controlled, non-alluvial wetlands in the Coastal Plain and Piedmont. Structurally and compositionally diverse vegetation is represented.
- *Saturated Peatlands of the Coastal Plain* - Ecological community groups of fire-influenced, groundwater controlled, non-alluvial, Coastal Plain wetlands with deep organic soils and a saturated hydrologic regime. This class is represented in Virginia by woodland and forest vegetation, although shrublands are components further south. It is confined to the extreme southeastern portion of the state.
- *Non-Tidal Maritime Wetlands* - Ecological community groups of mostly groundwater-controlled wetlands subject to oceanic influences (e.g., deep sand deposits, salt spray, maritime microclimates). In Virginia, these are confined to narrow zones along both flanks of the Eastern Shore, the western shore of the Chesapeake Bay, and the Atlantic shore in extreme southeastern Virginia.

Riverine Ecological Class:

- *Riverine Vegetation* – Ecological communities of freshwater river channels, including floating and submergent herbaceous vegetation at water depths that exclude emergent species but permit bottom rooting of aquatic species. Vegetation with emergent species is included in the Palustrine Ecological classes.

Estuarine Ecological Class:

- *Tidal Wetlands* - Ecological community groups of regularly or irregularly flooded, lunar tidal wetlands and irregularly flooded, wind-tidal wetlands. Structurally and compositionally diverse vegetation is represented. In the descriptions that follow, the terms "high" and "low" marsh refer to the relative elevation of stands within the intertidal zone.

Marine Ecological Class:

- *Marine Vegetation* – Ecological community groups of sparsely vegetated ocean shores and flats where the substrate is exposed and flooded by ocean tides; includes vegetation of the splash zone.

The **Ecological Community Group** is the level of the classification that organizes community types. Ecological community groups are aggregations of community types with topographic, edaphic, physiognomic, and gross floristic similarities. Community types within an ecological community group are often distributed in different regions of the state and have floristic differences that result from biogeographic influences. Ecological Community Groups define natural communities at a relatively coarse scale that may be more appropriate for large-scale applications such as ecological modeling and vegetation mapping. In addition, they employ concepts and terminology that are communicable, familiar, and useful to a wide range of potential users.

The **Community Type** is the finest level of the classification system that is nested within the Ecological Community Group. Community Types are plant assemblages that exhibit similar total species composition and vegetation structure and that occur under similar habitat conditions, and, for the most part, repeat across the landscape. The Community Type level is equivalent to the Association level of the United States National Vegetation Classification System (USNVC) (Grossman *et al.* 1998, NatureServe 2010) and is a concept that has been used by most of the schools of floristic classification (Whittaker 1962, Braun-Blanquet 1965, Westhoff and van der Maarel 1973, Moravec 1993). The Community Type is the level at which community inventory and conservation action are aimed and, as such, it is the level at which community occurrences are tracked and for which conservation status ranks are assigned.

Relationship to the USNVC and NatureServe's Ecological System Classification

The United States National Vegetation Classification (USNVC) is a jurisdictional subset of the larger International Vegetation Classification of Ecological Communities (IVC). The USNVC is a hierarchical system that classifies vegetation using physiognomic (structural) features at the highest levels of the hierarchy and floristic features at the lower levels (Grossman et al 1997, FGDC 2008, Jennings et al 2009). Over the past twenty years, the USNVC has been developed and implemented by The Nature Conservancy (TNC), the network of Natural Heritage Programs, and, since 2001, NatureServe. NatureServe is the organization that currently maintains and updates the USNVC via the *NatureServe Explorer* website (NatureServe 2011) and on the usvnc.org website. Refinements to the floristic levels of the classification occur in the process of application, leading to ongoing proposed revisions that are reviewed both locally and nationally. DCR-DNH Ecologists work in partnership with NatureServe to develop the finest floristic level of the classification, the Association. USNVC Associations are equal in scale to Community Types in The Natural Communities of Virginia classification and, for the most part, have a one-to-one relationship to the Community Type. However, Community Types have Virginia-specific names and concepts, while Associations are named and defined based on the range-wide expression of the vegetation.

In 2003, NatureServe developed a classification of Ecological Systems (Comer et al 2003). Ecological Systems are not part of the USNVC hierarchy, but are vegetation-based, and can be linked to the USNVC at the middle levels of the hierarchy (Groups and Macrogroups) (Gawler et al 2008). The Ecological System classification is maintained by NatureServe and descriptions are available via the *NatureServe Explorer* website. Ecological Systems have been used as the basis for several national and regional scale classification and mapping efforts, including the Northeastern Terrestrial Wildlife Habitat Classification (Gawler et al 2008), LANDFIRE (The National Map Landfire 2007), and the Southeast GAP analysis project (USGS. National Gap Analysis Program 2008). Ecological Systems are recurring groups of biological communities (i.e. associations) that are found in similar physical environments and are influenced by similar dynamic ecological processes (Comer et al. 2003). Ecological Systems are defined based on biogeographic region, landscape scale, dominant cover type, and disturbance regime and, as such, are coarser in scale than the Association or Community Type. A single Association may occur in more than one Ecological System depending on the geographic regions in which it is found. In Virginia, a single Community Type may be split among several Ecological Systems that have been defined by geographic regions. The Ecological Group level in The Natural Communities of Virginia classification is similar in concept to Ecological System, but

the two classification units differ in geographic scale. Ecological Groups are defined within the constraints of the state of Virginia, while Ecological Systems are regional in scope, with divisions along physiographic provinces. To illustrate this relationship, a crosswalk of The Natural Communities of Virginia to Ecological Systems is provided on our website at http://www.dcr.virginia.gov/natural_heritage/documents/vaclass_system_xwalk_01302012.xls

Changes to Ecological Community Groups since Version 2.2 and Community Types since 2011
Development of the state classification is an iterative process of successive approximations. Since completion of the Second Approximation, version 2.2 (Fleming *et al.* 2006), analysis of several large, regional datasets and ongoing inventory of vegetation across the state have led to a number of changes to the Ecological Group Classification. These changes, as well as changes to Community Types since the publication of the 2011 list, are summarized in Appendix A of this document. In 2013, the nomenclature for vascular plant species used in the community type scientific name was changed to follow The Flora of Virginia (Weakley et al. 2012), resulting in the change of 104 community type names. These changes are not listed in this appendix.

Format of the List

The System and Ecological Class are listed at the top of each page.

Ecological Community Groups are organized into fourteen Ecological Classes.
Each Ecological Group is hyperlinked to a Group description on the DCR Natural Heritage Website

Community Types are listed in alphabetical order beneath each Ecological Community Group of which they are a member.

For each Community Type, the following information is provided:

Scientific Name - The scientific name (State Name) of the community type based on Latin names of dominant or characteristic plant species. Those species occurring in the same stratum are separated by a hyphen (-); those occurring in different strata are separated by a slash (/). Species found less consistently in all occurrences of a community type, are placed in parentheses. Names preceded by an asterisk are considered "provisional" and should be considered tentative. In most cases, these putative types are based on limited data and analysis, and are subject to reinterpretation or changes in concept as additional data become available. State Names are based on the occurrence of the community in Virginia, and species nomenclature follows the Flora of Virginia (Weakley et al. 2012), thus state names may differ from the Global scientific name assigned by NatureServe. Additionally, subspecies and varieties of nominal species are not included in the community type names unless they are explicitly diagnostic of the community.

Common Name – The common or colloquial name (State Common Name) of the community type. The common name is a unique name by which the community type may be more easily recognized or described. Common names are based on the occurrence of the community in Virginia, and may differ from the Global Common Name assigned by NatureServe.

Global Rank – Global conservation status ranks characterize the relative rarity or endangerment of the corresponding USNVC association (see below) range-wide and are assigned at NatureServe's Headquarters or by a designated lead office in the Heritage/Conservation Data Center Network. Definitions of global ranks are provided in Appendix B of this document. A table showing the number of classified community types by conservation rank is provided in Appendix C. of this document.

State Rank – State conservation status ranks characterize the relative rarity or endangerment of the community within Virginia. State ranks are assigned by the DCR-DNH and apply to a community only as it exists in each state, regardless of its range-wide status. Definitions of state ranks are provided in Appendix B of this document. A table showing the number of classified community types by conservation rank is provided in Appendix C. of this document

USNVC Code – Each community type is crosswalked to the equivalent (or nearest equivalent) unit (i.e. the "association") in the United States National Vegetation Classification (USNVC). The USNVC code is a unique identifier for the Association from USNVC databases (NatureServe 2012). Associations have a code that begins with the string "CEGL" (Community Element GLobal) followed by a unique 6-digit number. Community Types that are not defined in the USNVC are listed as "no equivalent" in this field. Each USNVC code in the list is hyperlinked to the corresponding association description on *NatureServe Explorer* website (NatureServe 2013). These descriptions contain detailed range-wide information for the associations. As of this writing, associations considered provisional in the USNVC are not served on NatureServe Explorer, thus these USNVC codes are hyperlinked to a provisonal description on the DCR-DNH website. On this list, each USNVC code is preceded by a symbol indicating the relationship Virginia Community Type to the USNVC Association. The symbols indicate equivalent (=), finer (<), broader (>), or intersects (x). In the infrequent case where a Virginia Community Type can be crosswalked to more than one USNVC Association, the association with the closest relationship to the state concept is listed.

Future Plans

The list of Ecological Community Groups and Community Types, with conservation status ranks, will be updated annually as new information becomes available. Over time, we will develop detailed descriptions of the Community Types. These descriptions will include information on the community's distribution, conservation status, management considerations, as well as key features that will help identify the community in the field. We plan to provide this information in a format that can be obtained via our website. In the meantime, more detailed information may be obtained by following the links provided in this list, and on the DCR-DNH website to the NatureServe Explorer treatments of the corresponding USNVC associations, many of which were authored by DCR-DNH ecologists.

Feedback

We welcome all comments and suggestions on the classification, particularly information about natural vegetation with which you are familiar that does not fit into this classification. We also appreciate information on high-quality examples of natural communities, as this will further our understanding of the conservation status of these communities, as well as provide data to help refine the classification. Comments and suggestions can be directed to Gary Fleming <gary.fleming@dcr.virginia.gov> or Karen Patterson <karen.patterson@dcr.virginia.gov>.

ACKNOWLEDGEMENTS

The authors would like to thank Mark Bradford for database assistance in the design of the list. Megan Rollins provided technical assistance in producing the list. Chris Ludwig and Kristin Taverna provided thoughtful review.

REFERENCES

Braun-Blanquet, J. 1965. Plant sociology: the study of plant communities. (English translation of 2nd ed.) (Trans. rev. and ed. by C.D. Fuller and H.S. Conard) Hafner, London. 439 p.

Comer, P., D. Faber-Langendoen, R. Evans, S. Gawler, C. Josse, G. Kittel, S. Menard, M. Pyne, M. Reid, K. Schulz, K. Snow, and J. Teague. 2003. Ecological systems of the United States: A working classification of U.S. terrestrial systems. NatureServe, Arlington, VA.

Cowardin, L. M., V. Carter, F. C. Golet, and E. T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. U.S. Fish and Wildlife Service. FWS/OBS-79/31. 103 pp.

Fleming, G.P., P.P. Coulling, K.D. Patterson, and K. Taverna. 2006. The natural communities of Virginia: classification of ecological community groups. Second approximation. Version 2.2. [former web version] Virginia Department of Conservation and Recreation, Division of Natural Heritage, Richmond, VA.

FGDC (Federal Geographic Data Committee). 2008. National Vegetation Classification Standard, Version 2 FGDC-STD-005-2008 (version 2). Vegetation Subcommittee, Federal Geographic Data Committee, FGDC Secretariat, U.S. Geological Survey, Reston, Virginia, USA.

Gawler, S. C. 2008. Northeastern Terrestrial Wildlife Habitat Classification. Report to the Virginia Department of Game and Inland Fisheries on behalf of the Northeast Association of Fish and Wildlife Agencies and the National Fish and Wildlife Foundation. NatureServe, Boston, Massachusetts. 102 pp.

Grossman, D. H., D. Faber-Langendoen, A. W. Weakley, M. Anderson, P. Bourgeron, R. Crawford, K. Goodin, S. Landaal, K. Metzler, K. D. Patterson, M. Pyne, M. Reid, and L. Sneddon. 1998. International classification of ecological communities: terrestrial vegetation of the United States. Volume I. The National Vegetation Classification System: development, status, and applications. The Nature Conservancy, Arlington, Virginia.

Jennings, M. D., D. Faber-Langendoen, O.L. Loucks, R. K. Peet, and D. Roberts. 2009. Standards for Associations and Alliances of the U.S. National Vegetation Classification. Ecological Monographs 79: 173-199

Moravec, J. 1993. Syntaxonomic and nomenclatural treatment of Scandinavian-type associations and sociations. Journal of Vegetation Science 4:833-838.

NatureServe. 2013. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available http://www.natureserve.org/explorer.

NatureServe. 2012 International Ecological Classification Standard: Terrestrial Ecological Classifications. NatureServe Central Databases. Arlington, VA. U.S.A. Data current as of 19 November, 2012.

The National Map LANDFIRE. 2007. LANDFIRE National Existing Vegetation Type layer. U.S. Department of Interior, Geological Survey. [Online]. Available: http://gisdata.usgs.net/website/landfire/ [2007, February 8].

USGS. National Gap Analysis Program. 2008. Provisional Southeast GAP Regional Land Cover 2001. Biodiversity and Spatial Information Center, North Carolina Cooperative Fish and Wildlife Research Unit, NC State University (http://www.basic.ncsu.edu/segap/ last accessed April 9 2010)

Weakley, A.S., J.C. Ludwig, and J.F. Townsend. 2012. Flora of Virginia. Bland Crowder, ed. Foundation of the Flora of Virginia Project Inc., Richmond. Fort Worth: Botanical Research Institute of Texas Press.

Westhoff, V. and E. van der Maarel. 1973. The Braun-Blanquet approach. pp. 617-726 In R. H. Whittaker (editor). Handbook of vegetation science, Part V: ordination and classification of communities. Junk, The Hague, The Netherlands.

Whittaker, R. H. 1962. Classification of natural communities. Botanical Review 28:1-23.

Terrestrial - *High-Elevation Mountain Communities*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Spruce and Fir Forests				
Abies fraseri / Dryopteris campyloptera - Oxalis montana Forest	Fraser Fir Forest	G1	S1	= CEGL006049
Picea rubens - (Abies fraseri) / (Rhododendron catawbiense, Rhododendron maximum) Forest	Southern Appalachian Red Spruce Forest (Evergreen Shrub Type)	G1	S1	= CEGL007130
Picea rubens - Betula alleghaniensis / Rhododendron (maximum, catawbiense) Forest	Southern Appalachian Red Spruce - Northern Hardwood Forest (Evergreen Shrub Type)	G1?	S1	= CEGL004983
Picea rubens / Acer rubrum / Maianthemum canadense - (Lycopodium clavatum, Dendrolycopodium dendroideum) Forest	Central Appalachian Red Spruce Forest	G2	S1	= CEGL008501
Picea rubens / Viburnum lantanoides - Vaccinium erythrocarpum / Huperzia lucidula - Clintonia borealis Forest	Southern Appalachian Red Spruce Forest (Deciduous Shrub Type)	G2	S1	= CEGL007131
Southern Appalachian Shrub and Grass Balds				
Danthonia compressa - Carex brunnescens - Sibbaldia tridentata Herbaceous Vegetation	Southern Appalachian Grassy Bald	G1	S1	= CEGL004242
Kalmia latifolia - Rhododendron catawbiense - Gaylussacia baccata Shrubland	Southern Appalachian Mixed Heath Bald	G2G3	S1	= CEGL003814
Menziesia pilosa - Vaccinium (erythrocarpum, simulatum, corymbosum) - Sorbus americana Shrubland	Southern Appalachian Deciduous Heath Bald	GNR	S1	= CEGL004819
Rhododendron catawbiense Shrubland	Southern Appalachian Catawba Rhododendron Heath Bald	G2	S1	= CEGL003818
Northern Hardwood Forests				
Acer saccharum - Betula alleghaniensis - Fagus grandifolia - Aesculus flava / Ageratina altissima var. roanensis - Eurybia chlorolepis Forest	Southern Appalachian Northern Hardwood Forest	G3G4	S3	= CEGL007285
Betula alleghaniensis - Quercus rubra / Acer (pensylvanicum, spicatum) / Dryopteris intermedia - Oclemena acuminata Forest	Central Appalachian Northern Hardwood Forest (Yellow Birch - Northern Red Oak Type)	G3G4	S3	= CEGL008502
Fagus grandifolia - Tsuga canadensis / Dryopteris intermedia Forest	Allegheny Mountain Beech - Hemlock Forest	G4G5	S1	= CEGL006088
Prunus serotina - Acer saccharum - Fagus grandifolia / Carex digitalis - (Dennstaedtia punctilobula) Forest	Central Appalachian Northern Hardwood Forest (Sugar Maple - Beech - Black Cherry Type)	G4	S2	= CEGL006045
High-Elevation Boulderfield Forests and Woodlands				
Betula alleghaniensis / Acer spicatum / Viburnum lantanoides - Ribes glandulosum Forest	Southern Appalachian High-Elevation Boulderfield Forest / Woodland	G2G3	S1	= CEGL006124
Betula alleghaniensis / Sorbus americana - Acer spicatum / Polypodium appalachianum Forest	Central Appalachian High-Elevation Boulderfield Forest / Woodland	G2	S2	= CEGL008504
High-Elevation Cove Forests				
Acer saccharum - Aesculus flava - (Betula alleghaniensis, Fagus grandifolia) / Actaea podocarpa - Dryopteris intermedia Forest	Southern Appalachian High-Elevation Rich Cove Forest	G3	S2	= CEGL004973
Acer saccharum - Tilia americana - Fagus grandifolia / Caulophyllum thalictroides - Viola blanda - (Allium tricoccum) Forest	Northern Appalachian High-Elevation Rich Cove Forest	G4?	S1	= CEGL005008
Betula alleghaniensis - Tsuga canadensis / Rhododendron maximum Forest	High-Elevation Acidic Cove Forest	G3	S2	= CEGL007861

Terrestrial - *High-Elevation Mountain Communities*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Northern Red Oak Forests				
Quercus rubra - (Quercus alba) / Ilex montana / Dennstaedtia punctilobula - Lysimachia quadrifolia Forest	Central Appalachian Northern Red Oak Forest	G3G4	S3	= CEGL008506
Quercus rubra / Rhododendron (catawbiense, maximum) Forest	Southern Appalachian Northern Red Oak Forest (Evergreen Shrub Type)	G4	S2?	= CEGL007299
Quercus rubra / Rhododendron calendulaceum - Vaccinium simulatum - Vaccinium erythrocarpum / Parathelypteris noveboracensis Forest	Southern Appalachian Northern Red Oak Forest (Deciduous Shrub Type)	G4	S3	= CEGL007300
High-Elevation Outcrop Barrens				
Aronia melanocarpa - Gaylussacia baccata / Carex pensylvanica Shrubland	High-Elevation Outcrop Barren (Black Chokeberry Igneous / Metamorphic Type)	G1?	S1	= CEGL008508
Diervilla lonicera - Solidago randii - Avenella flexuosa - Hylotelephium telephioides - Hydatica petiolaris Herbaceous Vegetation	High-Elevation Greenstone Barren	G1	S1	= CEGL008536
Kalmia latifolia - Gaylussacia baccata - Vaccinium (angustifolium, pallidum) - Menziesia pilosa Shrubland	Central Appalachian High-Elevation Heath Barren / Pavement	G2	S1	= CEGL003939
Minuartia groenlandica - Paronychia argyrocoma - Hydatica petiolaris Herbaceous Vegetation	High-Elevation Outcrop Barren (Greenland Stitchwort Igneous / Metamorphic Type)	G1	S1	= CEGL008509
Salix occidentalis / Schizachyrium scoparium - Sibbaldia tridentata - Crocanthemum bicknellii - Rhynchospora globularis Shrub Herbaceous Vegetation	Southern Blue Ridge High-Elevation Mafic Barren	G1	S1	= CEGL004238

Terrestrial - *Low-Elevation Mesic Forests*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Rich Cove and Slope Forests				
Acer saccharum - Tilia americana / Caulophyllum thalictroides - Laportea canadensis - Osmorhiza claytonii Forest	Central Appalachian Rich Cove Forest (Sugar Maple - Basswood Type)	G4?	S3	= CEGL006237
Acer saccharum - Tilia americana var. heterophylla - Aesculus flava / Caulophyllum thalictroides - Hydrophyllum (canadense, macrophyllum) Forest	Southern Appalachian Rich Cove Forest (Sugar Maple - Buckeye Type)	G3G4	S3	= CEGL007695
Liriodendron tulipifera - Fraxinus americana - Tilia americana / Lindera benzoin / Actaea racemosa Forest	Appalachian Rich Cove Forest (Tuliptree - Mixed Hardwoods Type)	G4	S4	= CEGL007710
Tilia americana var. heterophylla - Aesculus flava - Acer saccharum / Staphylea trifolia / Cystopteris bulbifera - Asarum canadense Forest	Southern Appalachian Limestone Rich Cove Forest	G3G4	S3	= CEGL006472
Basic Mesic Forests				
Acer (nigrum, saccharum) - Tilia americana / Asimina triloba / Jeffersonia diphylla - Caulophyllum thalictroides Forest	Central Appalachian / Piedmont Basic Mesic Forest (Twinleaf - Blue Cohosh Type)	G4G5	S4	= CEGL008412
Acer floridanum - Fagus grandifolia - Carya cordiformis / Aesculus sylvatica / Actaea racemosa Forest	Southern Piedmont Basic Mesic Forest	G3G4	S3	= CEGL008466
Fagus grandifolia - Acer floridanum - Quercus muehlenbergii / Sanguinaria canadensis Forest	Coastal Plain Calcareous Ravine Forest	G2?	S2	= CEGL007181
Fagus grandifolia - Liriodendron tulipifera - Carya cordiformis / Lindera benzoin / Podophyllum peltatum Forest	Coastal Plain / Outer Piedmont Basic Mesic Forest	G4?	S3	= CEGL006055
Liriodendron tulipifera - Quercus rubra - Fraxinus americana / Asimina triloba / Actaea racemosa - Uvularia perfoliata Forest	Inner Piedmont / Lower Blue Ridge Basic Mesic Forest	G4?	S4	= CEGL006186
Acidic Cove Forests				
Liriodendron tulipifera - Betula lenta - Tsuga canadensis / Rhododendron maximum Forest	Southern Appalachian Acidic Cove Forest	G5	S4S5	= CEGL007543
Liriodendron tulipifera - Pinus strobus - Tsuga canadensis - Quercus (rubra, alba) / Polystichum acrostichoides Forest	Central Appalachian Acidic Cove Forest (White Pine - Hemlock - Mixed Hardwoods Type)	G4?	S4	= CEGL006304
Tsuga canadensis - (Fagus grandifolia, Tilia americana var. heterophylla) / Magnolia tripetala Forest	Cumberland Mountain Acidic Cove Forest	G4	S1?	= CEGL008407
Tsuga canadensis - Quercus montana - Liriodendron tulipifera / Kalmia latifolia - (Rhododendron catawbiense) Forest	Central Appalachian Acidic Cove Forest (Hemlock - Chestnut Oak Type)	G4	S3	= CEGL008512
Mesic Mixed Hardwood Forests				
Fagus grandifolia - Quercus (alba, nigra, michauxii) / Symplocos tinctoria - (Stewartia malacodendron) Forest	Southern Coastal Plain Mesic Mixed Hardwood Forest	G3	S2S3	x CEGL007211
Fagus grandifolia - Quercus (alba, rubra) - Liriodendron tulipifera / (Ilex opaca) / Polystichum acrostichoides Forest	Northern Coastal Plain / Piedmont Mesic Mixed Hardwood Forest	G5	S5	= CEGL006075
Eastern Hemlock - Hardwood Forests				
Tsuga canadensis - (Betula alleghaniensis, Quercus rubra) / Ilex montana - Rhododendron catawbiense Forest	Central Appalachian Hemlock / Catawba Rhododendron Forest	G1?	S1	= CEGL008513
Tsuga canadensis - Betula alleghaniensis / Maianthemum canadense Forest	Appalachian Hemlock - Northern Hardwood Forest	G4?	S1	= CEGL006109
Tsuga canadensis - Fagus grandifolia - Quercus (montana, alba) Forest	Piedmont / Coastal Plain Hemlock - Hardwood Forest	G2G3	S1	= CEGL006474
Northern White-Cedar Slope Forests				
Thuja occidentalis - Pinus strobus - Tsuga canadensis / Carex eburnea Forest	Northern White-Cedar Slope Forest	G1G2	S1	= CEGL008426

Terrestrial - *Low-Elevation Dry and Dry-Mesic Forests and Woodlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Dry-Mesic Calcareous Forests				
Acer saccharum - Quercus rubra - Carya (glabra, ovata) / Ageratina altissima Forest	Dry-Mesic Calcareous Forest (Sugar Maple - Northern Red Oak Type)	G4	S4	= CEGL008517
Quercus (alba, rubra) - Carya ovalis - Liriodendron tulipifera / Cercis canadensis / Polystichum acrostichoides Forest	Dry-Mesic Calcareous Forest (Southern Ridge and Valley / Cumberlands Type)	G4	S3?	= CEGL007233
Quercus (muehlenbergii, alba, rubra) - Carya cordiformis / Lindera benzoin - Viburnum prunifolium Forest	Dry-Mesic Calcareous Forest (Chinquapin Oak - Mixed Hardwoods Type)	G3G4	S3S4	= CEGL004793
Basic Oak - Hickory Forests				
Quercus alba - Carya glabra - Fraxinus americana / Cercis canadensis / Muhlenbergia sobolifera - Elymus hystrix Forest	Northern Hardpan Basic Oak - Hickory Forest	G3	S3	= CEGL006216
Quercus alba - Quercus rubra - Carya (tomentosa, ovata) / Cercis canadensis Forest	Southern Piedmont Basic Oak - Hickory Forest	G3G4	S3?	= CEGL007232
Quercus rubra - Quercus montana - Carya ovalis / (Cercis canadensis) / Solidago (caesia, curtisii) Forest	Inner Piedmont / Lower Blue Ridge Basic Oak - Hickory Forest	G3G4	S3S4	= CEGL008514
Acidic Oak - Hickory Forests				
Quercus alba - Quercus montana - Carya glabra / Cornus florida / Vaccinium pallidum / Carex pensylvanica Forest	Central Appalachian Acidic Oak - Hickory Forest	G4	S4	= CEGL008515
Quercus alba - Quercus rubra - Carya tomentosa / Cornus florida / Vaccinium stamineum / Hylodesmum nudiflorum Forest	Piedmont Acidic Oak - Hickory Forest	G4G5	S4S5	= CEGL008475
Montane Mixed Oak and Oak - Hickory Forests				
Quercus alba - Quercus (rubra, montana) / Oxydendrum arboreum / Rhododendron calendulaceum / Zizia trifoliata Forest	Southern Appalachian Montane Mixed Oak Forest (White Oak Type)	G4G5	S3	= CEGL007230
Quercus montana - Quercus rubra / Hamamelis virginiana Forest	Central Appalachian Dry-Mesic Chestnut Oak - Northern Red Oak Forest	G5	S4	= CEGL006057
Quercus montana - Quercus velutina / Oxydendrum arboreum - Cornus florida Forest	Southern Appalachian Montane Mixed Oak Forest (Chestnut Oak - Black Oak Subxeric Type)	G4G5	S3S4	= CEGL007267
Quercus rubra - Carya (ovalis, ovata) - Fraxinus americana / Actaea racemosa - Hydrophyllum virginianum Forest	Central Appalachian Montane Oak - Hickory Forest (Rich Type)	G3G4	S3S4	= CEGL008518
Quercus rubra - Quercus (montana, alba) - Carya ovalis / Carex pensylvanica - (Calamagrostis porteri) Forest	Central Appalachian Montane Oak - Hickory Forest (Acidic Type)	G3G4	S3S4	= CEGL008516
Quercus rubra - Quercus montana - Magnolia (acuminata, fraseri) / Acer pensylvanicum Forest	Southern Appalachian Montane Mixed Oak Forest (Northern Red Oak - Chestnut Oak Submesic Type)	G4?	S3S4	= CEGL004817

Terrestrial - *Low-Elevation Dry and Dry-Mesic Forests and Woodlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Oak / Heath Forests				
Quercus (montana, alba) / Avenella flexuosa - Solidago bicolor Forest	Coastal Plain River-Bluff Xeric Oak Forest	GNR	S1	= CEGL006490
Quercus alba - Quercus (coccinea, velutina, montana) / Gaylussacia baccata Forest	Piedmont / Central Appalachian Mixed Oak / Heath Forest	G5	S5	= CEGL008521
Quercus alba - Quercus falcata - (Carya pallida) / Gaylussacia frondosa Forest	Coastal Plain Mixed Oak / Heath Forest	G4G5	S4	= CEGL006269
Quercus montana - (Quercus coccinea, Quercus rubra) / Kalmia latifolia / Vaccinium pallidum Forest	Central Appalachian / Inner Piedmont Chestnut Oak Forest	G5	S5	= CEGL006299
Quercus montana - Quercus coccinea / Kalmia latifolia - (Eubotrys recurva) / Galax urceolata Forest	Southern Appalachian Chestnut Oak Forest	G5	S4S5	= CEGL006271
Quercus montana - Quercus rubra / Kalmia latifolia / Vaccinium angustifolium Forest	Northern Appalachian Chestnut Oak Forest	G5	S3	= CEGL006282
Quercus montana - Quercus rubra / Rhododendron maximum / Galax urceolata Forest	Southern Appalachian Chestnut Oak - Northern Red Oak / Great Rhododendron Forest	G4	S3?	= CEGL006286
Quercus montana - Quercus rubra / Vaccinium pallidum - (Rhododendron periclymenoides) Forest	Central Appalachian Xeric Chestnut Oak - Northern Red Oak / Heath Forest	G3G4	S3S4	= CEGL008523
Quercus montana / Rhododendron catawbiense - Kalmia latifolia Forest	Chestnut Oak / Catawba Rhododendron Forest	G4	S3	= CEGL008524
Eastern White Pine - Hardwood Forests				
Pinus strobus - Quercus alba - Quercus montana / Vaccinium stamineum Forest	Central Appalachian / Piedmont White Pine - Oak Forest	G4	S4	= CEGL008539
Piedmont / Coastal Plain Oak - Beech / Heath Forests				
Fagus grandifolia - Quercus (alba, velutina, montana) / Kalmia latifolia Forest	Northern Coastal Plain / Piedmont Oak - Beech / Heath Forest	G4	S3	= CEGL006919
Fagus grandifolia - Quercus alba / Oxydendrum arboreum - Symplocos tinctoria / Kalmia latifolia / (Galax urceolata) Forest	Southern Coastal Plain Oak - Beech / Heath Forest	G2G3	S2?	= CEGL004539
Carolina Hemlock Forests				
Tsuga caroliniana / Kalmia latifolia - Rhododendron catawbiense Forest	Carolina Hemlock Forest	G2	S1	= CEGL007139
Pine - Oak / Heath Woodlands				
Pinus (pungens, rigida) - Quercus montana / (Quercus ilicifolia) / Gaylussacia baccata Woodland	Central Appalachian Pine - Oak / Heath Woodland	G4	S4	= CEGL004996
Pinus pungens - Pinus rigida - (Quercus montana) / Kalmia latifolia - Vaccinium pallidum Woodland	Southern Appalachian Pine - Oak / Heath Woodland	G3	S3?	= CEGL007097
Mountain / Piedmont Acidic Woodlands				
Pinus echinata - Quercus montana - Carya tomentosa / Sorghastrum nutans - Pityopsis graminifolia var. latifolia - Solidago odora Woodland	Cumberland Mountains Shortleaf Pine Woodland	G2?	S1	= CEGL004445
Pinus rigida - Quercus montana / Gaylussacia baccata / Carex pensylvanica Woodland	Appalachian Pitch Pine Pavement Woodland	GNR	S2?	= CEGL004821
Pinus virginiana - Juniperus virginiana - Quercus stellata / Amelanchier spicata / Danthonia spicata / Leucobryum glaucum Woodland	Riverside Bedrock Terrace Woodland	G1	S1	= CEGL008449
Quercus montana - Pinus virginiana - (Pinus pungens) / Schizachyrium scoparium - Dichanthelium depauperatum Woodland	Central Appalachian Xeric Chestnut Oak - Virginia Pine Woodland	G3?	S3	= CEGL008540

Terrestrial - *Low-Elevation Dry and Dry-Mesic Forests and Woodlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Mountain / Piedmont Basic Woodlands				
Carya glabra - Fraxinus americana - Quercus montana / Ostrya virginiana / Philadelphus hirsutus Woodland	Southern Blue Ridge Calcareous Shale Woodland	G2	S1	= CEGL007720
Fraxinus americana - Carya glabra / Muhlenbergia sobolifera - Helianthus divaricatus - Solidago ulmifolia Woodland	Central Appalachian Basic Ash - Hickory Woodland	G2	S2	= CEGL003683
Montane Dry Calcareous Forests and Woodlands				
Fraxinus americana - Carya ovata / Frangula caroliniana / Helianthus hirsutus - (Polymnia canadensis) Forest	Cumberland Mountains Dry Calcareous Forest	G1?	S1	= CEGL008458
Juniperus virginiana - Quercus muehlenbergii / Rhus aromatica / Pellaea atropurpurea Woodland	Central Appalachian Chinquapin Oak - Eastern Redcedar Woodland	G3G4	S2	= CEGL006231
Quercus muehlenbergii - Acer (nigrum, saccharum) / Ostrya virginiana / Erigeron pulchellus - Packera obovata Forest	Appalachian Sugar Maple - Chinquapin Oak Dry Calcareous Forest	G4?	S4?	= CEGL006017
Quercus muehlenbergii - Juniperus virginiana / Packera paupercula var. appalachiana - Parthenium auriculatum - Schizachyrium scoparium Woodland	Ridge and Valley Dolomite Woodland	G2	S2	= CEGL006030
Quercus shumardii - Quercus muehlenbergii / Juniperus virginiana - Viburnum rufidulum / Sanicula odorata - Bignonia capreolata Forest	Southern Ridge and Valley Dry Calcareous Forest	G3	S2?	= CEGL007699
Coastal Plain Dry Calcareous Forests and Woodlands				
Quercus muehlenbergii / Cercis canadensis / Dichanthelium boscii - Bromus pubescens - Erigeron pulchellus - Aquilegia canadensis Forest	Coastal Plain Dry Calcareous Forest	G1	S1	= CEGL007748
Oak - Hickory Woodlands and Savannas				
Quercus alba - Carya tomentosa / Schizachyrium scoparium - Chrysogonum virginianum - Ageratina aromatica - (Salvia urticifolia) Woodland	Basic Oak-Hickory Woodland / Savanna	G1?	S1	= CEGL003721
Quercus alba - Quercus falcata - Carya tomentosa / Schizachyrium scoparium - Lespedeza procumbens Woodland	Acidic Oak-Hickory Woodland / Savanna	G1?	S1	= CEGL003722
Piedmont Hardpan Forests				
Carya glabra - Quercus (rubra, montana) - Fraxinus americana / Viburnum rafinesqueanum / Piptochaetium avenaceum Forest	Potomac River Bedrock Terrace Hardpan Forest	G1G2	S1	= CEGL006209
Quercus phellos - Quercus stellata / Ilex decidua / Danthonia spicata Forest	Southern Piedmont Mixed Moisture Hardpan Forest	G2?	S1	= CEGL004037
Quercus stellata - Quercus alba - Carya glabra / Ulmus alata / Piptochaetium avenaceum - Scleria oligantha Forest	Southern Piedmont Hardpan Forest	G2G3	S2	= CEGL003714
Low-Elevation Boulderfield Forests and Woodlands				
Acer saccharum - Tilia americana / Staphylea trifolia / Dryopteris marginalis - (Impatiens pallida) Forest	Central Appalachian / Piedmont Low-Elevation Rich Boulderfield Forest	G3G4	S2S3	= CEGL006471
Betula lenta - Quercus montana / Parthenocissus quinquefolia Woodland	Central Appalachian Acidic Boulderfield Woodland	G4	S3S4	= CEGL006565
Tilia americana - Fraxinus americana / Acer pensylvanicum - Ostrya virginiana / Parthenocissus quinquefolia - Impatiens pallida Forest	Central Appalachian Montane Rich Boulderfield Forest	G3	S3	= CEGL008528

Terrestrial - *Low-Elevation Rock Outcrops and Barrens*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Low-Elevation Acidic Outcrop Barrens				
Hydatica petiolaris Herbaceous Vegetation	Appalachian Low-Elevation Acidic Outcrop Barren (Cliff Saxifrage Type)	G3?	S2?	= CEGL004524
Low-Elevation Basic Outcrop Barrens				
Fraxinus americana - Juniperus virginiana / (Rhus aromatica) / Schizachyrium scoparium - Carex pensylvanica - Cheilanthes lanosa Wooded Herbaceous Vegetation	Central Appalachian Mafic / Calcareous Barren (Low-Elevation Type)	G2	S2	< CEGL006037
Fraxinus americana - Juniperus virginiana / Opuntia humifusa - Phemeranthus teretifolius - Polygonum tenue Wooded Herbaceous Vegetation	Piedmont Mafic Barren	G1	S1	= CEGL006294
Fraxinus americana / Physocarpus opulifolius / Carex pensylvanica - Allium cernuum - (Phacelia dubia) Wooded Herbaceous Vegetation	Central Appalachian Mafic / Calcareous Barren (Mid-Elevation Type)	G2	S2	= CEGL008529
Juniperus virginiana / Chionanthus virginicus / Cheilanthes lanosa - Sedum glaucophyllum Woodland	Southern Piedmont Mafic / Calcareous Barren	G2	S1	= CEGL004443
Minuartia glabra - Phemeranthus teretifolius - Hydatica petiolaris - Primula meadia Herbaceous Vegetation	Southern Blue Ridge Low-Elevation Granitic Barren	G2	S1	= CEGL004991
Quercus stellata / Schizachyrium scoparium - Sorghastrum nutans - Pycnanthemum tenuifolium - Packera paupercula var. paupercula Wooded Herbaceous Vegetation	Southern Blue Ridge Low-Elevation Mafic Barren	G1	S1	= CEGL006215
Limestone and Dolomite Barrens				
Juniperus virginiana / Schizachyrium scoparium - Andropogon gerardii - Carex eburnea Wooded Herbaceous Vegetation	Limestone / Dolomite Barren (Ridge and Valley Hillslope Type)	G2	S1S2	= CEGL004738
Juniperus virginiana / Schizachyrium scoparium - Bouteloua curtipendula - Sisyrinchium albidum - Packera millefolium Wooded Herbaceous Vegetation	Limestone / Dolomite Barren (Southern Ridge and Valley Type)	G2G3	S1S2	= CEGL005131
Mountain / Piedmont Calcareous Cliffs				
(Hydrangea arborescens, Physocarpus opulifolius) / Heuchera villosa - Micranthes caroliniana Shrub Herbaceous Vegetation	Southern Appalachian Mesic Calcareous Cliff	G2	S1S2	= CEGL008435
Asplenium ruta-muraria - Pellaea atropurpurea Sparse Vegetation	Appalachian Xeric Calcareous Cliff	G3G4	SU	= CEGL004476
Hydrangea arborescens / Sedum ternatum - Polypodium virginianum Shrubland	Piedmont / Mountain Mafic / Calcareous Cliff	GNR	S1?	= CEGL006479
Thuja occidentalis / Carex eburnea - Sedum glaucophyllum Woodland	Northern White-Cedar Cliff Woodland	G2G3	S2	= CEGL002596
Mountain / Piedmont Acidic Cliffs				
Asplenium montanum - Heuchera parviflora - Silene rotundifolia Sparse Vegetation	Cumberland Mountains Xeric Sandstone Cliff	G3G4	S1?	= CEGL004392
Asplenium montanum Sparse Vegetation	Central Appalachian / Piedmont Acidic Cliff	GNR	SU	= CEGL004391

Terrestrial - *Low-Elevation Rock Outcrops and Barrens*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Central Appalachian Shale Barrens				
(Pinus virginiana, Juniperus virginiana) / Schizachyrium scoparium - Eriogonum allenii Wooded Herbaceous Vegetation	Central Appalachian Shale Barren (Shale Ridge Bald / Prairie Type)	G2	S2	= CEGL008530
Juniperus virginiana / Carex pensylvanica - Cheilanthes lanosa - Eriogonum allenii Woodland	Central Appalachian Calcareous Shale Barren	G2	S2	< CEGL006037
Pinus virginiana - Quercus montana - Carya glabra / Phlox subulata - Packera antennariifolia Woodland	Central Appalachian Shale Barren (Southern Type)	G3G4	S3S4	= CEGL006562
Pinus virginiana - Quercus montana - Quercus rubra / Avenella flexuosa - Paronychia montana - Packera antennariifolia Woodland	Central Appalachian Shale Barren (Northern Type)	G3	S3	= CEGL006288
Pinus virginiana - Quercus montana / Quercus ilicifolia / (Hieracium traillii) Woodland	Central Appalachian Xeric Shale Woodland (Virginia Pine / Sparse Herbs Type)	G3	S3	= CEGL008525
Quercus montana / Quercus ilicifolia / Danthonia spicata Woodland	Central Appalachian Xeric Shale Woodland (Chestnut Oak / Mixed Herbs Type)	G3?	S3	= CEGL008526
Granitic Flatrocks				
Phemeranthus teretifolius - Minuartia glabra - Diodia teres - Croton willdenowii Herbaceous Vegetation	Granitic Flatrock	G2	S2	= CEGL003857
Piedmont Prairies				
Schizachyrium scoparium - Sorghastrum nutans - Solidago juncea - Pycnanthemum tenuifolium Herbaceous Vegetation	Little Bluestem - Indian-Grass Piedmont Prairie	GNR	SU	= CEGL006572
Ultramafic Woodlands and Barrens				
Pinus strobus - Pinus rigida - Quercus stellata / Ceanothus americanus / Andropogon gerardii - Packera paupercula var. paupercula Woodland	Southern Blue Ridge Ultramafic Woodland	G1	S1	= CEGL004968
* *Pinus virginiana - Quercus stellata - Quercus marilandica / Schizachyrium scoparium* Woodland	Piedmont Ultramafic Woodland	n/a	SU	no equivalent
Schizachyrium scoparium - Packera paupercula var. appalachiana - Parthenium auriculatum - Phemeranthus piedmontanus Herbaceous Vegetation	Southern Piedmont Ultramafic Barren	G1	S1	= CEGL006084
Schizachyrium scoparium - Sorghastrum nutans - Aletris farinosa - Packera paupercula var. paupercula Herbaceous Vegetation	Southern Blue Ridge Ultramafic Barren	G1	S1	= CEGL004999
Riverside Outcrop Barrens				
(Hypericum prolificum, Eubotrys racemosa) / Schizachyrium scoparium - Solidago racemosa - Ionactis linariifolia Herbaceous Vegetation	Potomac Gorge Riverside Outcrop Barren	G2	S1	= CEGL006491
Lichen / Bryophyte Nonvascular Boulderfields and Outcrops				
Lasallia (papulosa, pensylvanica) - Dimelaena oreina - (Melanelia culbersonii) Nonvascular Vegetation	Central Appalachian Low-Elevation Acidic Lichen / Bryophyte Boulderfield	G5	S4	= CEGL004142
Lasallia papulosa - Stereocaulon glaucescens - Chrysothrix chlorina Nonvascular Vegetation	Central Appalachian Mafic Lichen / Bryophyte Boulderfield	G1?	S1	= CEGL004143
Umbilicaria mammulata Nonvascular Vegetation	Mountain / Piedmont Mesic Lichen / Bryophyte Cliff	G4?	S3?	= CEGL004387
Umbilicaria muehlenbergii - Lasallia papulosa - (Melanelia stygia) Nonvascular Vegetation	Central Appalachian High-Elevation Acidic Lichen / Bryophyte Boulderfield	G2?	S1	= CEGL004389

* provisional type

Terrestrial - *Maritime Zone Communities*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Maritime Dune Grasslands				
(Morella pensylvanica) / Schizachyrium littorale Shrub Herbaceous Vegetation	Xeric Backdune Grassland	G2	S2	= CEGL004240
Ammophila breviligulata - Panicum amarum Herbaceous Vegetation	North Atlantic Mixed Dune Grassland	G2	S2	= CEGL004043
Spartina patens - Panicum amarum - Solidago sempervirens Herbaceous Vegetation	Overwash Dune Grassland	G2G3	S2	= CEGL004097
Uniola paniculata - Ammophila breviligulata Herbaceous Vegetation	South Atlantic Mixed Dune Grassland	G3	S2	= CEGL004039
Maritime Dune Scrub				
Hudsonia tomentosa / Cyperus grayi Dwarf-Shrubland	Sand Heather Dwarf Dune Scrub	G2G3	S2?	= CEGL003950
Morella pensylvanica - (Prunus serotina, Diospyros virginiana) / Solidago sempervirens Shrubland	Northern Bayberry Dune Scrub	G2	S2?	= CEGL003881
Quercus virginiana - (Morella pensylvanica) Shrubland	Live Oak Dune Scrub	G3	S1	= CEGL003833
Maritime Dune Woodlands				
Juniperus virginiana / Morella pensylvanica Woodland	Maritime Eastern Redcedar Dune Woodland	G2	S1?	= CEGL006212
Pinus taeda / Hudsonia tomentosa Woodland	Loblolly Pine / Sand Heather Dune Woodland	G1G2	S1S2	= CEGL006052
Prunus serotina / Smilax rotundifolia / Schizachyrium littorale Woodland	Black Cherry Xeric Dune Woodland	G1G2	S1	< CEGL006319
Quercus virginiana - Quercus incana Woodland	Live Oak - Bluejack Oak Dune Woodland	G1	S1	= CEGL003750
Maritime Upland Forests				
Pinus taeda - (Quercus falcata, Prunus serotina) / Morella cerifera / Vitis rotundifolia Forest	Maritime Loblolly Pine Forest	G2	S2	= CEGL006040
Quercus nigra - Pinus taeda - Carya pallida - (Fagus grandifolia) / Symplocos tinctoria / Gelsemium sempervirens Forest	Maritime Mixed Deciduous Forest	G1	S1	= CEGL007540
Quercus virginiana - Pinus taeda Forest	Maritime Live Oak Forest	G2	S1	= CEGL007027

Terrestrial - *Sandy Woodlands of the Coastal Plain and Outer Piedmont*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Pine / Scrub Oak Sandhills				
Pinus palustris - (Pinus serotina) / Quercus laevis / Gaylussacia frondosa - Kalmia angustifolia - Vaccinium tenellum Woodland	Longleaf Pine / Scrub Oak Sandhill Woodland	G1	S1	> CEGL003592
Pinus taeda - Quercus falcata - Quercus nigra / Quercus margarettae / Cnidoscolus stimulosus Woodland	Loblolly Pine / Scrub Oak Sandhill Woodland	n/a	SU	no equivalent
Fluvial Terrace Woodlands				
Carya pallida / Quercus margarettae / Opuntia humifusa - Carex umbellata Woodland	Coastal Plain Xeric Fluvial Terrace Woodland	GNR	S1	x CEGL006354
Loblolly Pine Savannas				
Pinus taeda / Schizachyrium scoparium - Eupatorium hyssopifolium - Lespedeza stuevei - Symphyotrichum concolor Woodland	Loblolly Pine / Little Bluestem Woodland / Savanna	GNA	SU	= CEGL003620

Palustrine - *Alluvial Floodplain Communities*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Bald Cypress - Tupelo Swamps				
Nyssa biflora - (Taxodium distichum) / Clethra alnifolia - Viburnum nudum / Woodwardia areolata Forest	Coastal Plain Swamp Tupelo Blackwater Swamp	G3	S3?	= CEGL007054
Taxodium distichum - Nyssa (biflora, aquatica) / Itea virginica / Saururus cernuus Forest	Bald Cypress - Mixed Tupelo Intermediate Swamp	G3G4	S3S4	= CEGL007432
Taxodium distichum - Nyssa aquatica / Fraxinus caroliniana Forest	Bald Cypress - Water Tupelo Brownwater Swamp	G5?	S4	= CEGL007431
Floodplain Ponds and Pools				
Cephalanthus occidentalis - Decodon verticillatus Shrubland	Coastal Plain / Piedmont Oxbow Shrub Swamp	G4G5	SU	< CEGL006069
Nuphar advena - Nymphaea odorata Herbaceous Vegetation	Water-Lily Floodplain Pool / Pond	G4G5	SU	= CEGL002386
Peltandra virginica - Hibiscus moscheutos - Persicaria (punctata, hydropiperoides) Herbaceous Vegetation	Coastal Plain / Piedmont Oxbow Marsh	G3	S2?	= CEGL007696
Semipermanent Impoundments				
Alnus serrulata Swamp Shrubland	Smooth Alder Impoundment Swamp	G4G5	SU	= CEGL005082
* *Hottonia inflata - Ludwigia palustris - Callitriche heterophylla* Herbaceous Vegetation	Coastal Plain Featherfoil Impoundment Pond	GNR	SU	= CEGL006102
Juncus effusus Herbaceous Vegetation	Common Rush Impoundment Marsh	G5	SU	= CEGL004112
Nelumbo lutea Herbaceous Vegetation	American Lotus Aquatic Bed	G4?	SU	= CEGL004323
* *Peltandra virginica - Alisma subcordatum - Leersia oryzoides* Herbaceous Vegetation	Pickerelweed Impoundment Marsh	GNR	SU	< CEGL004291
* *Spirodela polyrrhiza - Landoltia punctata - Wolffia columbiana - Azolla caroliniana* Herbaceous Vegetation	Coastal Plain Impoundment Aquatic Bed	G5	SU	< CEGL003059
Taxodium distichum / Lemna minor Forest	Bald Cypress Semi-permanent Impoundment	G4G5	SU	< CEGL002420
Piedmont / Mountain Floodplain Forests				
Acer saccharinum - Acer negundo / Ageratina altissima - Laportea canadensis - (Elymus virginicus, Elymus macgregorii) Forest	Piedmont / Central Appalachian Silver Maple Forest	G4	S4	= CEGL006217
Acer saccharum - Fraxinus americana - Carya cordiformis / Erythronium americanum Forest	Piedmont / Central Appalachian High Terrace Floodplain Forest	G3?	S1	= CEGL006459
Betula nigra - Platanus occidentalis Forest	Piedmont / Central Appalachian River Birch - Sycamore Forest	G5	SU	= CEGL002086
Platanus occidentalis - Acer negundo - Juglans nigra / Asimina triloba / Mertensia virginica Forest	Piedmont / Central Appalachian Rich Floodplain Forest	G4	S3S4	= CEGL004073
* *Quercus rubra - Quercus shumardii - Fraxinus americana / Cercis canadensis* Forest	Potomac Gorge Bedrock Floodplain Oak Forest	GNR	SU	= CEGL006495
Piedmont / Mountain Swamp Forests				
Acer (rubrum, saccharinum) - Fraxinus pennsylvanica - Ulmus americana / Boehmeria cylindrica Forest	Piedmont / Central Appalachian Floodplain Swamp (Silver Maple - Green Ash Type)	G4	S2?	= CEGL006548
Quercus palustris - Quercus bicolor / Carex tribuloides - Carex radiata - (Carex squarrosa) Forest	Piedmont / Central Appalachian Floodplain Swamp (Pin Oak - Swamp White Oak Type)	G3G4	S3?	= CEGL006497

* provisional type

Palustrine - *Alluvial Floodplain Communities*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Sand / Gravel / Mud Bars and Shores				
Eragrostis hypnoides - Lindernia dubia - Ludwigia palustris - Cyperus squarrosus Herbaceous Vegetation	Piedmont / Central Appalachian Sand Bar / River Shore (Low Herbs Type)	G3	S3	= CEGL006483
Eragrostis hypnoides - Micranthemum umbrosum - Lipocarpha micrantha - (Juncus repens) Herbaceous Vegetation	Coastal Plain Sand Bar / River Shore	G2	S1	= CEGL004341
Eupatorium serotinum - Persicaria (lapathifolia, punctata, pensylvanica) Herbaceous Vegetation	Piedmont / Central Appalachian Sand Bar / River Shore (Tall Herbs Type)	GNR	S2S3	= CEGL006481
Rocky Bars and Shores				
* *Alnus serrulata / Xanthorhiza simplicissima* Shrubland	Alder / Yellowroot Rocky Bar and Shore	G3G4	SU	= CEGL003895
Carex torta - Dichanthelium clandestinum - Persicaria sagittata Herbaceous Vegetation	Twisted Sedge Rocky Bar and Shore	G3G4	S3	= CEGL004103
Carpinus caroliniana - Ilex decidua Shrubland	Piedmont River-Scour Shrubland	G1?	S1	= CEGL006484
Justicia americana Herbaceous Vegetation	Water-Willow Rocky Bar and Shore	G4G5	S4	= CEGL004286
Platanus occidentalis - Acer saccharinum - Betula nigra - Fraxinus pennsylvanica / Boehmeria cylindrica - Carex emoryi Woodland	Piedmont / Central Appalachian Bedrock Floodplain Scour Woodland	G2?	S1	= CEGL006476
Platanus occidentalis - Betula nigra - Salix (caroliniana, nigra) / Apocynum sibiricum Woodland	Piedmont / Central Appalachian Sycamore - River Birch Scour Woodland	G4G5	S3	= CEGL003896
Riverside Prairies				
* *Carex trichocarpa* Herbaceous Vegetation	Hairy-Fruited Sedge Riverside Prairie	G4?	SU	x CEGL006447
Fraxinus americana / Andropogon gerardii - Sorghastrum nutans - Schizachyrium scoparium - Pycnanthemum tenuifolium Herbaceous Vegetation	Piedmont / Central Appalachian Riverside Outcrop Prairie	G1	S1	= CEGL006478
Fraxinus pennsylvanica / Andropogon gerardii - Panicum virgatum - Baptisia australis Wooded Herbaceous Vegetation	Piedmont / Central Appalachian Bedrock Floodplain Prairie	G3	S2	= CEGL006283
Panicum virgatum - Andropogon gerardii Herbaceous Vegetation	Ridge and Valley Gravel-Wash Riverside Prairie	G2G3	S2	= CEGL006477
Coastal Plain / Piedmont Bottomland Forests				
Acer rubrum - Fraxinus pennsylvanica / Saururus cernuus Forest	Coastal Plain / Piedmont Floodplain Swamp (Green Ash - Red Maple Type)	G3G4	S3S4	= CEGL006606
Fagus grandifolia - Carya cordiformis - (Quercus michauxii, Quercus shumardii) / Ilex opaca / Podophyllum peltatum Forest	Northern Coastal Plain Beech - Mixed Hardwood Floodplain Forest	GNR	S1?	= CEGL006493
Liquidambar styraciflua - Liriodendron tulipifera / Lindera benzoin / Arisaema triphyllum Forest	Coastal Plain / Piedmont Small-Stream Floodplain Forest	G4	S4	= CEGL004418
Liquidambar styraciflua - Quercus (michauxii, shumardii) - Carya cordiformis / Ilex decidua / Carex amphibola Forest	Southern Piedmont / Inner Coastal Plain Floodplain Terrace Forest	G3G4	S3	= CEGL007006
Platanus occidentalis - Celtis occidentalis - Ulmus americana - Fraxinus pennsylvanica / Acer negundo / Chasmanthium latifolium Forest	Piedmont / Inner Coastal Plain Floodplain Levee Forest	G3G4	S3	= CEGL007013
Quercus (phellos, palustris, michauxii) - Liquidambar styraciflua / Cinna arundinacea Forest	Northern Coastal Plain / Inner Piedmont Mixed Oak Floodplain Swamp	G3G4	S3?	= CEGL006605
Quercus lyrata - Fraxinus pennsylvanica - (Carya aquatica, Quercus laurifolia) / Carex louisianica - Leersia lenticularis Forest	Coastal Plain Bottomland Forest (Brownwater Low Terrace Type)	G4G5	S3?	< CEGL007397
Quercus michauxii - Quercus pagoda - Carya ovata / Carpinus caroliniana / Carex abscondita Forest	Coastal Plain Bottomland Forest (Brownwater High Terrace Type)	G3G4	S3?	= CEGL004678
Quercus phellos - Quercus (palustris, lyrata) / Ilex decidua / Carex typhina - (Carex grayi) Forest	Southern Piedmont / Inner Coastal Plain Mixed Oak Floodplain Swamp	G3?	S3	= CEGL006498

* provisional type

Palustrine - *Alluvial Floodplain Communities*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Piedmont / Mountain Small-Stream Alluvial Forests				
* *Betula alleghaniensis / (Rhododendron maximum) / Parathelypteris noveboracensis - Viola macloskeyi - Scutellaria lateriflora* Forest	High Allegheny Montane Alluvial Forest	n/a	SU	no equivalent
Liriodendron tulipifera - Acer (rubrum, negundo) - (Platanus occidentalis) / Carpinus caroliniana / Persicaria virginiana Forest	Northern Piedmont Small-Stream Floodplain Forest	G4	S3?	= CEGL006492
Liriodendron tulipifera - Pinus strobus - (Tsuga canadensis) / Carpinus caroliniana / Amphicarpaea bracteata Forest	Central Appalachian Montane Alluvial Forest (Tuliptree - White Pine Type)	G3	S3	= CEGL008405
Liriodendron tulipifera - Platanus occidentalis - Betula lenta / Lindera benzoin / Circaea canadensis Forest	Northern Blue Ridge Montane Alluvial Forest	G3?	S3	= CEGL006255

* provisional type

Palustrine - *Non-Alluvial Wetlands of the Mountains*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Mountain / Piedmont Basic Seepage Swamps				
Acer rubrum - Fraxinus americana - Fraxinus nigra - (Betula alleghaniensis) / Veratrum viride - Carex bromoides Forest	Central Appalachian Basic Seepage Swamp	G3	S3	= CEGL008416
Mountain / Piedmont Acidic Seepage Swamps				
Acer rubrum - Nyssa sylvatica / Ilex verticillata - Vaccinium fuscatum / Osmundastrum cinnamomeum Forest	Central Appalachian Low-Elevation Acidic Seepage Swamp	G2	S2	= CEGL007853
High-Elevation Seepage Swamps				
Acer rubrum - (Betula alleghaniensis, Tsuga canadensis) / Rhododendron maximum / Osmundastrum cinnamomeum Forest	Southern Appalachian High-Elevation Seepage Swamp	G2	S1	= CEGL007565
Picea rubens - Tsuga canadensis - Acer rubrum / Glyceria melicaria Forest	Central Appalachian High-Elevation Seepage Swamp (Red Spruce Type)	G3	S1	= CEGL006556
Tsuga canadensis - Betula alleghaniensis / Veratrum viride - Carex scabrata - Oclemena acuminata Forest	Central Appalachian High-Elevation Seepage Swamp (Hemlock - Yellow Birch Type)	G2	S1	= CEGL008533
Appalachian Bogs				
Carex echinata - Solidago uliginosa / Sphagnum spp. Herbaceous Vegetation	Central Appalachian / High Allegheny Seepage Bog	G2?	S1	= CEGL008534
Carex gynandra - Scirpus cyperinus - Eriophorum virginicum - Osmundastrum cinnamomeum Herbaceous Vegetation	Cumberland Mountains Streamside Bog	G2	S1?	= CEGL007771
Pinus rigida / Osmundastrum cinnamomeum - Carex stricta - Eriophorum virginicum / Sphagnum spp. Woodland	Central Appalachian Pitch Pine Bog	G1	S1	= CEGL007056
Rhododendron (catawbiense, maximum) - Vaccinium simulatum / Carex trisperma - Eriophorum virginicum - Juncus subcaudatus Shrubland	Southern Appalachian High-Elevation Shrub Bog	G1	S1	= CEGL003913
Sparganium americanum - (Sparganium emersum) - Epilobium leptophyllum Herbaceous Vegetation	Southern Appalachian / High Allegheny Beaver Marsh	G3?	SU	= CEGL004510
Vaccinium macrocarpon / Pogonia ophioglossoides Dwarf-Shrubland	Cranberry Peatland Bog	G2	S1	= CEGL007856
Montane Woodland Seeps				
* *Caltha palustris - Impatiens pallida - Viola cucullata* Herbaceous Vegetation	Central Appalachian Woodland Seep	GNR	SU	= CEGL006258
Carex scabrata - Viola cucullata / Plagiomnium ciliare Herbaceous Vegetation	High Allegheny Woodland Seep	G3	SU	= CEGL006597
Diphylleia cymosa - Micranthes micranthidifolia - Laportea canadensis Herbaceous Vegetation	Southern Appalachian High-Elevation Seep (Umbrella-Leaf - Lettuce Saxifrage Type)	G3	SU	= CEGL004296
Impatiens (capensis, pallida) - Monarda didyma - Rudbeckia laciniata var. humilis Herbaceous Vegetation	Southern Appalachian High-Elevation Seep (Jewelweed - Scarlett BeebalmType)	G3	SU	= CEGL004293

* provisional type

Palustrine - *Non-Alluvial Wetlands of the Mountains*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Montane Depression Wetlands				
(Cephalanthus occidentalis) / Dulichium arundinaceum - (Persicaria hydropiperoides, Glyceria acutiflora, Proserpinaca palustris) Shrub Herbaceous Vegetation	Central Appalachian Mountain Pond (Threeway Sedge - Buttonbush Type)	G1	S1	= CEGL003746
(Quercus palustris) / Coleataenia rigidula - Panicum verrucosum - Eleocharis acicularis Herbaceous Vegetation	Shenandoah Valley Sinkhole Pond (Typic Type)	G1	S1	= CEGL007858
Acer rubrum - Nyssa sylvatica - Quercus palustris / Woodwardia virginica Forest	Central Appalachian Depression Forest (Low-Elevation Type)	n/a	S2?	no equivalent
Carex aquatilis - Dulichium arundinaceum Herbaceous Vegetation	Central Appalachian Mountain Pond (Water Sedge Type)	G1?	S1	= CEGL008542
Carex barrattii Herbaceous Vegetation	Shenandoah Valley Sinkhole Pond (Barratt's Sedge Type)	G1	S1	= CEGL007857
Nyssa sylvatica - Acer rubrum / Vaccinium erythrocarpum / Osmundastrum cinnamomeum Forest	Central Appalachian Depression Forest (High-Elevation Type)	GNR	S1?	< CEGL006132
Orontium aquaticum - Schoenoplectus subterminalis - Eriocaulon aquaticum Herbaceous Vegetation	Shenandoah Valley Sinkhole Pond (Golden Club Type)	G1	S1	= CEGL007859
* *Quercus alba / Persicaria hydropiperoides - Lysimachia lanceolata* Wooded Herbaceous Vegetation	Central Appalachian Mountain Pond (White Oak Type)	GNR	SU	= CEGL008473
Calcareous Fens				
Alnus serrulata / Osmunda spectabilis - Carex tetanica - Carex leptalea Shrubland	Central Appalachian Calcareous Shrub Fen / Seep	G1?	S1	= CEGL008408
Carex (tetanica, prairea) - Eleocharis erythropoda - Lysimachia quadriflora Herbaceous Vegetation	Shenandoah Valley Prairie Fen	G1Q	S1	= CEGL006170
Packera aurea - Carex interior - Carex hystericina - Parnassia grandifolia Herbaceous Vegetation	Ridge and Valley Calcareous Sedge Fen / Seep	n/a	S1	no equivalent
Mesic and Wet-Mesic Prairies				
Andropogon gerardii - Sorghastrum nutans - Pycnanthemum virginianum Herbaceous Vegetation	Appalachian Wet-Mesic Tall-Grass Prairie	G2?	S2	= CEGL006039
Calcareous Spring Marshes and Muck Fens				
Carex utriculata - Sparganium americanum Herbaceous Vegetation	Ridge and Valley Calcareous Spring Marsh (Beaked Sedge - American Bur-Reed Type)	G4G5	S1	< CEGL002257
Peltandra virginica - Persicaria amphibia - Carex stricta - Impatiens capensis Herbaceous Vegetation	Ridge and Valley Calcareous Spring Marsh (Arrow-Arum - Water Smartweed Type)	G1	S1	= CEGL006244
Typha latifolia - Caltha palustris Herbaceous Vegetation	Ridge and Valley Calcareous Spring Marsh (Common Cattail - Marsh Marigold Type)	G1	S1	= CEGL006245
Mafic Fens and Seeps				
Acer rubrum - Pinus strobus / Alnus serrulata - Physocarpus opulifolius / Solidago patula - Parnassia grandifolia Woodland	Southern Blue Ridge Mafic Woodland Seep	G1	S1	= CEGL004994
Alnus serrulata - Lyonia ligustrina - Spiraea tomentosa / Calamagrostis canadensis - Sanguisorba canadensis - Scirpus expansus Shrubland	Southern Blue Ridge Mafic Fen (Tall Shrub Type)	G1	S1	= CEGL004252
Alnus serrulata / Sanguisorba canadensis - Helenium brevifolium - Parnassia grandifolia - Eleocharis tenuis Shrubland	Southern Blue Ridge Mafic Fen (Low Herb Type)	G1	S1	= CEGL003917
Spiraea latifolia - Cornus racemosa / Calamagrostis canadensis - Sanguisorba canadensis - Carex scoparia Shrub Herbaceous Vegetation	Northern Blue Ridge Mafic Fen	G1	S1	= CEGL006249

* provisional type

Palustrine - *Non-Alluvial Wetlands of the Mountains*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Spray Cliffs				
* Appalachian Spray Cliff Herbaceous Vegetation	Appalachian Spray Cliff	n/a	S1?	no equivalent
Inland Salt Marshes				
Juncus gerardii - Bolboschoenus robustus - Hibiscus moscheutos Herbaceous Vegetation	Ridge and Valley Inland Salt Marsh	G1	S1	= CEGL006234

* provisional type

Palustrine - *Non-Alluvial Wetlands of the Coastal Plain and Piedmont*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Coastal Plain Depression Wetlands				
Cephalanthus occidentalis - (Decodon verticillatus) / Panicum verrucosum - Dulichium arundinaceum - (Torreyochloa pallida) Shrub Herbaceous Vegetation	Coastal Plain Seasonal Buttonbush Pond	G3?	S2	< CEGL006242
* *Eragrostis hypnoides - Ludwigia sphaerocarpa - Persicaria hydropiperoides* Herbaceous Vegetation	Coastal Plain Seasonal Pond (Creeping Lovegrass Type)	GNR	SU	= CEGL006608
Nyssa biflora - (Quercus lyrata) / Eubotrys racemosa / Carex joorii Forest	Coastal Plain Seasonal Pond (Swamp Tupelo - Overcup Oak Type)	G1G2	S1S2	= CEGL006223
* *Persicaria hydropiperoides - Dulichium arundinaceum - Juncus repens* Herbaceous Vegetation	Coastal Plain Seasonal Pond (Mild Water-Pepper - Three-Way Sedge Type)	G3?	SU	< CEGL006242
Quercus phellos - Acer rubrum - Liquidambar styraciflua / Vaccinium (formosum, fuscatum) Forest	Coastal Plain Depression Swamp (Willow Oak - Red Maple - Sweetgum Type)	G3	S2	= CEGL006110
Saccharum baldwinii - Carex (joorii, glaucescens) - Coleataenia rigidula Herbaceous Vegetation	Coastal Plain Seasonal Pond (Narrow Plumegrass Type)	G2G3	SU	= CEGL007745
* *Saccharum giganteum - Ludwigia sphaerocarpa - Panicum verrucosum* Herbaceous Vegetation	Coastal Plain Seasonal Pond (Giant Plumegrass - Globe-Fruited Seedbox Type)	G2G3	SU	= CEGL007744
Taxodium distichum / Cephalanthus occidentalis / Juncus repens Woodland	Bald Cypress Seasonal Pond / Lake Shore	G1?	S1	= CEGL004653
Coastal Plain / Piedmont Seepage Bogs				
Alnus serrulata - Magnolia virginiana / Andropogon glomeratus - Eupatorium pilosum - Rhynchospora gracilenta - Xyris torta Shrubland	Coastal Plain / Outer Piedmont Seepage Bog	GNR	S1	= CEGL006499
Nyssa sylvatica - Magnolia virginiana - (Pinus rigida) / Rhododendron viscosum - Toxicodendron vernix / Smilax pseudochina Woodland	Northern Coastal Plain Terrace Gravel Bog	G1	S1	= CEGL006219
Coastal Plain / Piedmont Acidic Seepage Swamps				
Acer rubrum - Nyssa sylvatica - Magnolia virginiana / Viburnum nudum / Osmundastrum cinnamomeum - Woodwardia areolata Forest	Coastal Plain / Outer Piedmont Acidic Seepage Swamp	G3?	S3	= CEGL006238
Coastal Plain / Piedmont Basic Seepage Swamps				
Acer rubrum - Fraxinus (pennsylvanica, americana) / Lindera benzoin / Symplocarpus foetidus Forest	Piedmont / Northern Coastal Plain Basic Seepage Swamp	G4G5	S2?	= CEGL006406
Acer rubrum - Fraxinus pennsylvanica / Packera aurea - Carex bromoides - Pilea fontana - Bidens laevis Forest	Coastal Plain Calcareous Seepage Swamp	G2	S2	= CEGL006413
Upland Depression Swamps				
Quercus palustris - Acer rubrum - Liquidambar styraciflua / Vaccinium (fuscatum, formosum) Forest	Outer Piedmont / Inner Coastal Plain Upland Depression Swamp (Pin Oak / Highbush Blueberry Type)	GNR	S1	= CEGL006240
Quercus palustris - Quercus bicolor / Viburnum prunifolium / Leersia virginica - Impatiens capensis Forest	Piedmont Upland Depression Swamp (Pin Oak - Swamp White Oak Type)	G2	S1	= CEGL004643
Quercus phellos / Smilax rotundifolia / Carex (albolutescens, festucacea) Forest	Piedmont Upland Depression Swamp (Willow Oak Type)	G2G3	S2	= CEGL007403

* provisional type

Palustrine - *Non-Alluvial Wetlands of the Coastal Plain and Piedmont*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Non-Riverine Flatwoods and Swamps				
Nyssa biflora - Acer rubrum - Magnolia virginiana - Chamaecyparis thyoides / Lyonia lucida - Clethra alnifolia Forest	Non-Riverine Swamp Forest (Mixed Evergreen Type)	G2G3	S1	= CEGL007558
Nyssa biflora - Taxodium distichum - Acer rubrum / (Persea palustris) / Clethra alnifolia / Woodwardia virginica Forest	Non-Riverine Swamp Forest (Tupelo - Bald Cypress Type)	G2G3	S1S2	= CEGL004429
Quercus (michauxii, pagoda, laurifolia) / Carpinus caroliniana / (Leucothoe axillaris) - Arundinaria tecta Forest	Non-Riverine Wet Hardwood Forest (Southern Coastal Plain Type)	G2	S1	= CEGL007449
Quercus (phellos, pagoda, michauxii) / Ilex opaca - Clethra alnifolia / Woodwardia areolata Forest	Non-Riverine Wet Hardwood Forest (Northern Coastal Plain Type)	G2?	S2	= CEGL004644

Palustrine - *Saturated Peatlands of the Coastal Plain*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Pond Pine Woodlands and Pocosins				
Pinus serotina / Arundinaria tecta Woodland	Canebrake Woodland	G1	SX	= CEGL004433
Pinus serotina / Smilax laurifolia - Ilex glabra / Woodwardia virginica Woodland	Pond Pine Woodland / Pocosin	G2?	S1	= CEGL004652
Peatland Atlantic White-Cedar Forests				
Chamaecyparis thyoides / Lyonia lucida - Ilex coriacea / Osmundastrum cinnamomeum Forest	Peatland Atlantic White-Cedar Forest	G2	S1	= CEGL006146

Palustrine - *Non-Tidal Maritime Wetlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Sea-Level Fens				
Cladium mariscoides - Drosera intermedia - Eleocharis rostellata Herbaceous Vegetation	Sea-Level Fen	G1	S1	= CEGL006310
Maritime Swamps				
Acer rubrum - Nyssa (biflora, sylvatica) / Morella cerifera / Leersia (oryzoides, virginica) Forest	Maritime Swamp Forest (Red Maple - Tupelo Type)	G2	S2	= CEGL004082
Morella cerifera - Toxicodendron radicans / Hydrocotyle verticillata Shrubland	Wax Myrtle Maritime Shrub Swamp	G2G3	S2?	= CEGL003840
Pinus taeda / Morella cerifera / Osmunda spectabilis Forest	Maritime Wet Loblolly Pine Forest	G3	S2?	= CEGL006137
Salix nigra Forest	Maritime Swamp Forest (Black Willow Type)	G2G3	SU	= CEGL006348
Taxodium distichum / Cephalanthus occidentalis / Boehmeria cylindrica - Ceratophyllum echinatum Forest	Maritime Swamp Forest (Bald Cypress Type)	G1	S1	= CEGL004079
Interdune Swales and Ponds				
Bacopa monnieri - Eleocharis albida Herbaceous Vegetation	Interdune Pond (Coastal Water-Hyssop - White Spikerush Oligohaline Type)	G1Q	S1	= CEGL006350
Juncus scirpoides - Eupatorium hyssopifolium - Euthamia caroliniana - Xyris jupicai Herbaceous Vegetation	Interdune Swale (Mixed Rush Type)	G2G3	S1?	= CEGL004111
Morella cerifera - Baccharis halimifolia / Spartina patens Shrubland	Wax Myrtle Interdune Shrubland	G3G4	S2S3	= CEGL003839
Panicum virgatum - Schoenoplectus pungens Herbaceous Vegetation	Interdune Swale / Pond (Switchgrass Type)	G2G4	S2?	= CEGL004129
Spartina patens - (Bolboschoenus robustus) Herbaceous Vegetation	Interdune Swale (Saltmeadow Cordgrass Brackish Type)	GNR	S2?	= CEGL006342
Spartina patens - Fimbristylis (castanea, caroliniana) - Cyperus filicinus - (Schoenoplectus pungens) Herbaceous Vegetation	Interdune Swale (Northern Mixed Grassland Type)	G1G2	S1?	= CEGL004117
Spartina patens - Schoenoplectus pungens - Thelypteris palustris - Centella erecta Herbaceous Vegetation	Interdune Swale (Southern Mixed Grassland Type)	n/a	S2	no equivalent
* *Typha angustifolia - Hibiscus moscheutos* Herbaceous Vegetation	Interdune Pond (Narrow-Leaf Cattail - Swamp Rose-Mallow Type)	n/a	SU	no equivalent

* provisional type

Riverine - *[Riverine Vegetation]*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Riverine Aquatic Beds				
Podostemum ceratophyllum Herbaceous Vegetation	Riverine Aquatic Bed (Horn-Leaf Riverweed Type)	G3G5	SU	= CEGL004331
Vallisneria americana - *Heteranthera dubia* Riverine Herbaceous Vegetation	Riverine Aquatic Bed (Tapegrass Type)	G3G4	S3?	= CEGL004333

Estuarine - *Tidal Wetlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Tidal Freshwater Marshes				
* *Acorus calamus* Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Sweetflag Type)	GNR	SU	= CEGL006833
* *Eleocharis palustris - Orontium aquaticum* Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Common Spikerush - Golden Club Type)	n/a	SU	no equivalent
Impatiens capensis - Persicaria arifolia - Peltandra virginica - (Typha angustifolia) Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Mixed High Marsh Type)	GNR	S4?	= CEGL006325
Nelumbo lutea Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (American Lotus Mud Flat Type)	GNR	S2?	= CEGL006913
Nuphar advena - Peltandra virginica Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Common Spatterdock Arrow-Arum Mud Flat Type)	G3G4	S3S4	< CEGL004706
Nuphar advena Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Common Spatterdock Mudflat Type)	G4G5	S3	= CEGL004472
Peltandra virginica - (Pontederia cordata) Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Arrow-Arum - Pickerelweed Type)	G3G4	S3S4	< CEGL004706
Zizania aquatica - Pontederia cordata - Peltandra virginica - Persicaria punctata Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Wild Rice - Mixed Forbs Type)	G4?	S4?	= CEGL004202
Zizaniopsis miliacea Tidal Herbaceous Vegetation	Tidal Freshwater Marsh (Southern Wild Rice Type)	G3G5	S3?	= CEGL004705
Tidal Oligohaline Marshes				
* *Carex hyalinolepis* Tidal Herbaceous Vegetation	Tidal Oligohaline Marsh (Shoreline Sedge Type)	GNR	SU	= CEGL006177
Eleocharis rostellata - Spartina patens Tidal Herbaceous Vegetation	Tidal Oligohaline Marsh (Beaked Spikerush - Saltmeadow Cordgrass Estuarine Fringe Type)	GNR	S1?	= CEGL006611
Hibiscus moscheutos - Persicaria punctata - Peltandra virginica - (Typha angustifolia, Spartina cynosuroides) Tidal Herbaceous Vegetation	Tidal Oligohaline Marsh (Mixed Forbs Type)	GNR	S4	= CEGL006181
Schoenoplectus americanus - Spartina patens Tidal Herbaceous Vegetation	Tidal Oligohaline Marsh (Saltmeadow Cordgrass - Olney Three-Square Low Interior Marsh Type)	GNR	S3?	= CEGL006612
Spartina cynosuroides Tidal Herbaceous Vegetation	Tidal Oligohaline Marsh (Big Cordgrass Type)	G4	S4	= CEGL004195
Typha angustifolia - Hibiscus moscheutos Tidal Herbaceous Vegetation	Tidal Oligohaline Marsh (Narrow-Leaf Cattail - Swamp Rose-Mallow Type)	G4G5	S3?	= CEGL004201
Wind-Tidal Oligohaline Marshes				
Eleocharis fallax - Sagittaria lancifolia - Persicaria punctata Tidal Herbaceous Vegetation	Wind-Tidal Oligohaline Marsh (Creeping Spikerush - Bull-Tongue Arrowhead Type)	G1G2	S1	< CEGL004628
Eleocharis rostellata - (Eleocharis fallax) Tidal Herbaceous Vegetation	Wind-Tidal Oligohaline Marsh (Beaked Spikerush Type)	G1G2	S1	< CEGL004628
Juncus roemerianus - Eleocharis fallax Tidal Herbaceous Vegetation	Wind-Tidal Oligohaline Marsh (Black Needlerush Type)	G2G3	S2S3	= CEGL004660
Sagittaria lancifolia - Osmunda spectabilis - Cladium (mariscoides, jamaicense) Tidal Herbaceous Vegetation	Wind-Tidal Oligohaline Marsh (Mixed Type)	G1G2	S1	< CEGL004628
Spartina cynosuroides - Schoenoplectus americanus - Persicaria hydropiperoides Tidal Herbaceous Vegetation	Wind-Tidal Oligohaline Marsh (Big Cordgrass Type)	G2G3	S2	= CEGL007741

* provisional type

Estuarine - *Tidal Wetlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Tidal Mesohaline and Polyhaline Marshes				
Bolboschoenus robustus - Spartina alterniflora Tidal Herbaceous Vegetation	Riverine Salt Marsh (Saltmarsh Bulrush - Saltmarsh Cordgrass Type)	GNR	S3?	= CEGL006416
Juncus roemerianus Tidal Herbaceous Vegetation	Black Needlerush Salt Marsh	G5	S4	= CEGL004186
Spartina alterniflora - Distichlis spicata Tidal Herbaceous Vegetation	Low Salt Marsh (Saltmarsh Cordgrass - Salt Grass Type)	GNR	S4?	= CEGL006586
Spartina alterniflora - Spartina cynosuroides Tidal Herbaceous Vegetation	Riverine Salt Marsh (Saltmarsh Cordgrass - Big Cordgrass Type)	GNR	S3?	= CEGL006418
Spartina alterniflora - Spartina patens Tidal Herbaceous Vegetation	Low Salt Marsh (Salt Panne Type)	G5	S3?	< CEGL004192
Spartina alterniflora Tidal Herbaceous Vegetation	Low Salt Marsh (Saltmarsh Cordgrass Type)	G5	S5	< CEGL004192
Spartina patens - Distichlis spicata Tidal Herbaceous Vegetation	High Salt Marsh	G4G5	S4S5	= CEGL004197
Tidal Shrub Swamps				
Alnus serrulata - Salix nigra / Pilea (fontana, pumila) Tidal Shrubland	Freshwater Tidal Shrub Swamp	GNR	SU	= CEGL006843
Iva frutescens / Spartina cynosuroides Tidal Shrubland	Mesohaline Tidal Shrub Swamp (Riverine Type)	GNR	SU	= CEGL006847
Iva frutescens / Spartina patens - Distichlis spicata Tidal Shrubland	Mesohaline Tidal Shrub Swamp (High Salt Marsh Type)	G5	SU	= CEGL006848
Morella cerifera - Rosa palustris / Osmunda spectabilis - Thelypteris palustris Tidal Shrubland	Oligohaline Tidal Shrub Swamp	G4	S3	= CEGL004656
Tidal Bald Cypress Forests and Woodlands				
Taxodium distichum - Nyssa biflora - (Pinus taeda) / Morella cerifera / Osmunda spectabilis Tidal Forest	Wind-Tidal Bald Cypress - Tupelo Swamp	G2?	S2	= CEGL004651
Taxodium distichum - Nyssa biflora - Fraxinus profunda / Peltandra virginica - (Bignonia capreolata) Tidal Forest	Northern Coastal Plain Tidal Bald Cypress Forest	G3	S2	= CEGL006850
Taxodium distichum / Carex hyalinolepis Tidal Woodland	Tidal Bald Cypress Woodland (Shoreline Sedge Type)	G2?	S1	= CEGL004654
* *Taxodium distichum / Zizania aquatica - Carex canescens* Tidal Woodland	Wind-Tidal Bald Cypress Woodland	G1Q	SU	= CEGL004655
Tidal Hardwood Swamps				
* *(Fraxinus profunda, Nyssa biflora) / Agalinis purpurea - Rhynchospora macrostachya* Tidal Wooded Herbaceous Vegetation	Freshwater Tidal Marsh Woodland (Mixed Forbs Type)	n/a	SU	no equivalent
Fraxinus profunda - Nyssa biflora - (Fraxinus pennsylvanica) / Ilex verticillata / Persicaria arifolia Tidal Forest	Freshwater Tidal Hardwood Swamp	G3	S3	= CEGL006287
* *Nyssa biflora / Alnus serrulata - Cephalanthus occidentalis* Tidal Woodland	Freshwater Tidal Marsh Woodland (Mixed Shrubs Type)	n/a	SU	no equivalent

* provisional type

Estuarine - *Tidal Wetlands*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Tidal Freshwater and Oligohaline Aquatic Beds				
Ceratophyllum demersum - Utricularia macrorhiza - (Nymphaea odorata) Semipermanently Flooded Tidal Herbaceous Vegetation	Tidal Freshwater / Oligohaline Aquatic Bed (Common Hornwort Type)	G3?	SU	= CEGL004661
Nuphar sagittifolia Permanently Flooded Tidal Herbaceous Vegetation	Tidal Freshwater / Oligohaline Aquatic Bed (Narrow-Leaved Spatterdock Type)	G1G2	S1	= CEGL006094
* *Nymphaea odorata* Semipermanently Flooded Tidal Herbaceous Vegetation	Tidal Freshwater / Oligohaline Aquatic Bed (White Water-Lily Type)	GNR	SU	< CEGL006048
* *Vallisneria americana - Myriophyllum spicatum* Semipermanently Flooded Tidal Herbaceous Vegetation	Tidal Freshwater / Oligohaline Aquatic Bed Tapegrass Type)	GNR	SU	< CEGL006048
Tidal Mesohaline and Polyhaline Aquatic Beds				
Ruppia maritima Semipermanently Flooded Tidal Herbaceous Vegetation	Tidal Mesohaline / Polyhaline Aquatic Bed (Wigeon-Grass Type)	GNR	SU	= CEGL006167
Zostera marina Semipermanently Flooded Tidal Herbaceous Vegetation	Tidal Mesohaline / Polyhaline Aquatic Bed (Eelgrass Type)	G4G5	SU	= CEGL004336
Salt Flats				
(Salicornia virginica, Salicornia bigelovii, Sarcocornia pacifica) Herbaceous Vegetation	Glasswort Salt Flat	G5	S3	= CEGL004308
Salt Scrub				
Baccharis halimifolia - Iva frutescens / Spartina patens Shrubland	Salt Scrub	G5	S4	= CEGL003921
High-Energy Tidal River Shores				
* *Eriocaulon parkeri - Persicaria punctata* Tidal Herbaceous Vegetation	High-Energy Tidal River Shore (Parker's Pipewort Freshwater Type)	G2	SU	= CEGL006352
* *Isoetes riparia* Tidal Herbaceous Vegetation	High-Energy Tidal River Shore (Shore Quillwort Freshwater Type)	GNR	SU	= CEGL006058
* *Justicia americana* Tidal Herbaceous Vegetation	High-Energy Tidal River Shore (Water-Willow Type)	GNR	SU	= CEGL006579
Peltandra virginica - Schoenoplectus (pungens, tabernaemontani) Tidal Herbaceous Vegetation	High-Energy Tidal River Shore (Arrow-Arum - Bulrush Mud Flat Type)	GNR	S3?	= CEGL006578
Schoenoplectus pungens Tidal Herbaceous Vegetation	High-Energy Tidal River Shore (Common Threesquare / Northern Type)	GNR	S1?	= CEGL004188

* provisional type

Marine - *[Marine Vegetation]*

Scientific Name	Common Name	Global Rank	State Rank	USNVC Code
Upper Beaches and Overwash Flats				
Cakile edentula - *Salsola kali* Herbaceous Vegetation	North Atlantic Upper Beach / Overwash Flat	G4G5	S3	= CEGL004400

APPENDICES

Appendix A. Changes to Ecological Groups and Community Types

Development of the state classification is an iterative process of successive approximations. Since completion of the Second Approximation, version 2.2 (Fleming *et al.* 2006), analysis of several large, regional datasets and ongoing inventory of vegetation across the state have led to a number of changes to the Ecological Group Classification. Changes to Ecological Groups since 2006 are listed below. Changes to Community Types since the publication of the 2011 list are listed in a third and fourth table. In 2013, the nomenclature for vascular plant species used in the community type scientific name was changed to follow The Flora of Virginia (Weakley et al. 2012), resulting in the change of 104 community type names. These changes are not listed in this appendix.

Changes to Ecological Community Groups 2006 - 2010

Second Approximation (ver. 2.2)	Second Approximation (ver. 2.3)
SOUTHERN APPALACHIAN NORTHERN HARDWOOD FORESTS	merged with the following group into a new NORTHERN HARDWOOD FORESTS group
CENTRAL APPALACHIAN NORTHERN HARDWOOD FORESTS	merged with the preceding group into a new NORTHERN HARDWOOD FORESTS group
ULTRAMAFIC WOODLANDS	merged with the Ultramafic Barrens group into a new ULTRAMAFIC WOODLANDS AND BARRENS group
ULTRAMAFIC BARRENS	merged with the Ultramafic Woodlands group into a new ULTRAMAFIC WOODLANDS AND BARRENS group
MOSS / LICHEN BOULDERFIELDS	name changed to LICHEN / BRYOPHYTE NONVASCULAR BOULDERFIELDS AND OUTCROPS
CALCAREOUS FENS AND SEEPS	merged with the following group into a new CALCAREOUS FENS group
WET PRAIRIES AND PRAIRIE FENS	merged with the preceding group into a new CALCAREOUS FENS group
NON-RIVERINE PINE-HARDWOOD FORESTS	merged with the following two groups into a new NON-RIVERINE FLATWOODS AND SWAMPS group
NON-RIVERINE WET HARDWOOD FORESTS	merged with the preceding and following groups into a new NON-RIVERINE FLATWOODS AND SWAMPS group
NON-RIVERINE SWAMP FORESTS	merged with the preceding two groups into a new NON-RIVERINE FLATWOODS AND SWAMPS group
MARITIME WET PINE FOREST	moved to new group MARITIME SWAMP FORESTS
INTERDUNE WET PINE WOODLANDS	merged into the MARITIME SWAMP FORESTS group
ESTUARINE FRINGE PINE FORESTS	merged into the MARITIME SWAMP FORESTS group
ESTUARINE FRINGE SWAMP FORESTS	merged into the TIDAL BALDCYPRESS FORESTS AND WOODLANDS group
(not represented)	a new HIGH-ENERGY TIDAL SHORES group was added to represent vegetation previously included in the Tidal Freshwater Marshes group

Changes to Ecological Community Groups 2010 - 2011

Second Approximation (ver. 2.3)	Second Approximation (ver. 2.4)
COASTAL PLAIN / PIEDMONT FLOODPLAIN FOREST	Changed name to COASTAL PLAIN PIEDMONT BOTTOMLAND FOREST
COASTAL PLAIN / PIEDMONT SWAMP FOREST	Merged into COASTAL PLAIN PIEDMONT BOTTOMLAND FOREST
PIEDMONT / MOUNTAIN ALLUVIAL FOREST	Changed name to PIEDMONT / MOUNTAIN SMALL-STREAM ALLUVIAL FOREST
STREAMHEAD POCOSIN	Merged into NON-RIVERINE FLATWOOD / SWAMP

Changes to Ecological Community Groups 2011 - 2012

Second Approximation (ver. 2.4)	Second Approximation (ver. 2.5)
MARITIME SHRUB SWAMP	Merged into a new MARITIME SWAMP group
MARITIME SWAMP FOREST	Merged into a new MARITIME SWAMP group
INTERDUNE POND	Merged into a new INTERDUNE SWALES AND PONDS group
MARITIME WET GRASSLAND	Merged into a new INTERDUNE SWALES AND PONDS group

Changes to Community Types 2011 -2012

2011 Community List	2012 Community List
APPALACHIAN BOG: *Pinus rigida / Hypericum densiflorum / Osmunda cinnamomea - Carex atlantica ssp. atlantica - Eriophorum virginicum - Drosera rotundifolia* Woodland	Name changed to: *Pinus rigida / Osmunda cinnamomea - Carex stricta - Eriophorum virginicum / Sphagnum* spp. Woodland
BALD CYPRESS – TUPELO SWAMP: *Nyssa biflora - (Taxodium distichum) / Itea virginica - Viburnum nudum / Woodwardia areolata* Forest	Name changed to: *Nyssa biflora - (Taxodium distichum) / Clethra alnifolia - Viburnum nudum / Woodwardia areolata* Forest
COASTAL PLAIN / PIEDMONT BOTTOMLAND FOREST: *Fraxinus pennsylvanica - Celtis occidentalis - Ulmus (americana, alata) / Carpinus caroliniana / Carex grayi* Forest [Coastal Plain Bottomland Forest (Brownwater Low Ridge/Levee Type)]	Name changed to: *Platanus occidentalis - Celtis occidentalis - Ulmus americana - Fraxinus pennsylvanica / Acer negundo / Chasmanthium latifolium* Forest [Piedmont / Inner Coastal Plain Floodplain Levee Forest]
COASTAL PLAIN / PIEDMONT BOTTOMLAND FOREST: *Platanus occidentalis - Liquidambar styraciflua - Celtis occidentalis / Carpinus caroliniana - Asimina triloba / Carex amphibola* Forest [Southern Piedmont / Inner Coastal Plain Large-Stream Floodplain Forest]	Name changed to: *Liquidambar styraciflua - Quercus (michauxii, shumardii) - Carya cordiformis / Ilex decidua / Carex amphibola* Forest [Southern Piedmont / Inner Coastal Plain Floodplain Terrace Forest]
FLOODPLAIN PONDS AND POOLS: **Cephalanthus occidentalis* Shrubland	Name changed to: *Cephalanthus occidentalis - Decodon verticillatus* Shrubland
FLOODPLAIN PONDS AND POOLS: **Fraxinus pennsylvanica / Cephalanthus occidentalis / Penthorum sedoides - Bidens discoidea* Woodland [Southern Piedmont Oxbow Woodland]	Merged into: *Acer rubrum - Fraxinus pennsylvanica / Saururus cernuus* Forest in the Group: COASTAL PLAIN / PIEDMONT BOTTOMLAND FOREST
INTERDUNE POND: (*Myrica cerifera) - Panicum virgatum - Spartina patens* Herbaceous Vegetation [Interdune Pond (Switchgrass Freshwater Type)]	Name changed to: *Panicum virgatum - Schoenoplectus pungens* Herbaceous Vegetation [Interdune Swale / Pond (Switchgrass Type)] and moved to new Group: INTERDUNE SWALES AND PONDS
MARITIME DUNE GRASSLAND: *Myrica pensylvanica / Schizachyrium littorale* Shrub Herbaceous Vegetation	Name changed to: (*Myrica pensylvanica) / Schizachyrium littorale* Shrub Herbaceous Vegetation
MARITIME DUNE GRASSLAND: *Spartina patens - Schoenoplectus pungens - Solidago sempervirens* Herbaceous Vegetation	Name changed to: *Spartina patens - Panicum amarum (ssp. amarum, spp. amarulum) - Solidago sempervirens* Herbaceous Vegetation
MARITIME DUNE GRASSLAND: *Uniola paniculata - Schizachyrium littorale - Panicum amarum var. amarum* Herbaceous Vegetation	Named changed to *Uniola paniculata - Ammophila breviligulata* Herbaceous Vegetation
MARITIME DUNE SCRUB: *Hudsonia tomentosa / Panicum amarum var. amarulum* Dwarf-Shrubland	Name changed to: *Hudsonia tomentosa / Cyperus grayi* Dwarf-shrubland
MARITIME DUNE SCRUB: *Myrica pensylvanica / Diodia teres* Shrubland	Named changed to: *Myrica pensylvanica - (Prunus serotina, Diospyros virginiana) / Solidago sempervirens* Shrubland
MARITIME DUNE SCRUB: *Quercus virginiana - (Ilex vomitoria*) Shrubland	Name changed to: *Quercus virginiana - (Myrica pensylvanica)* Shrubland
MARITIME SHRUB SWAMP: *Myrica cerifera / Hydrocotyle verticillata* Shrubland	Name changed to: *Myrica cerifiera - Toxicodendron radicans / Hydrocotyle verticillata* Shrubland

Changes to Community Types 2011 -2012 (continued)

MARITIME WET GRASSLAND: *Juncus (dichotomous, scirpoides) - Drosera intermedia* Herbaceous Vegetation	Name changed to: *Juncus scirpoides - Eupatorium hyssopifolium - Euthamia caroliniana - Xyris jupicai* Herbaceous Vegetation and moved to the new Group: INTERDUNE SWALES AND PONDS
MARITIME WET GRASSLAND: *Schoenoplectus pungens - Fimbristylis (castanea, caroliniana) Herbaceous* Vegetation [Interdune Swale (Mixed Sedge Type)]	Name changed to: *Spartina patens - Fimbristylis (castanea, caroliniana) - Cyperus filicinus - (Schoenoplectus pungens)* Herbaceous Vegetation [Interdune Swale (Northern Mixed Grassland Type)] and moved to the new Group: INTERDUNE SWALES AND PONDS
MARITIME WET GRASSLAND: *Spartina patens - Eleocharis parvula* Herbaceous Vegetation [Interdune Swale (Saltmeadow Cordgrass Type)]	Named changed to: *Spartina patens - (Schoenoplectus robustus)* Herbaceous Vegetation [Interdune Swale (Saltmeadow Cordgrass Brackish Type)] and moved to the new Group: INTERDUNE SWALES AND PONDS
MESIC MIXED HARDWOOD FOREST: *Fagus grandifolia - Quercus (alba, falcata, pagoda) / Symplocos tinctoria - Stewartia malacodendron* Forest	Name changed to: *Fagus grandifolia - Quercus (alba, nigra, michauxii) / Symplocos tinctoria - (Stewartia malacodendron*) Forest
(not represented)	NEW COMMUNITY TYPE: *Myrica cerifera - Baccharis halimifolia / Spartina patens* Shrubland [Southern Bayberry Interdune Shrubland] in the new Group: INTERDUNE SWALES AND PONDS
(not represented)	NEW COMMUNITY TYPE: *Spartina patens - Schoenoplectus pungens - Thelypteris palustris var. pubescens - Centella erecta* Herbaceous Vegetation [Interdune Swale (Southern Mixed Grassland Type)] in the new Group: INTERDUNE SWALES AND PONDS
SALT SCRUB: *Iva frutescens - Baccharis halimifolia / Spartina patens - Panicum virgatum* Tidal Shrubland	Name changed to: *Baccharis halimifolia - Iva frutescens / Spartina patens* Shrubland
TIDAL BALD CYPRESS FOREST / WOODLAND: *Taxodium distichum / Pontederia cordata - Peltandra virginica* Tidal Woodland [Tidal Bald Cypress Woodland (Mixed Forbs Type)]	Name changed to: *Taxodium distichum - Nyssa biflora - Fraxinus profunda / Peltandra virginica - (Bignonia capreolata)* Tidal Forest [Northern Coastal Plain Tidal Bald Cypress Forest]
TIDAL MESOHALINE AND POLYHALINE MARSHES: *Spartina patens - Distichlis spicata - Sarcocornia perennis - Limonium carolinianum* Tidal Herbaceous Vegetation [Salt Meadow]	Merged into *(Salicornia virginica, Salicornia bigelovii, Sarcocornia perennis)* Herbaceous Vegetation [Glasswort Salt Flat] in the Group: SALT FLAT
UPPER BEACH / OVERWASH FLAT: *Cakile edentula ssp. edentula - Chamaesyce polygonifolia* Sparse Vegetation	Named changed to: *Cakile edentula ssp. edentula - Salsola caroliniana* Herbaceous Vegetation

Changes to Community Types 2012 – 2013

2012 Community List	2013 Community List
(not represented)	NEW COMMUNITY TYPE: *Quercus phellos - Quercus stellata / Ilex decidua / Danthonia spicata* Forest [Southern Piedmont Mixed Moisture Hardpan Forest] in the Group: PIEDMONT HARDPAN FOREST
(not represented)	NEW COMMUNITY TYPE: *(Hydrangea arborescens, Physocarpus opulifolius) / Heuchera villosa - Micranthes caroliniana* Shrub Herbaceous Vegetation [Southern Appalachian Mesic Calcareous Cliff] in the Group: MOUNTAIN / PIEDMONT CALCAREOUS CLIFF
(not represented)	NEW COMMUNITY TYPE: *Picea rubens - Betula alleghaniensis / Rhododendron (maximum, catawbiense) Forest* [Southern Appalachian Red Spruce - Northern Hardwood Forest (Evergreen Shrub Type)] in the Group: SPRUCE / FIR FOREST
(not represented)	NEW COMMUNITY TYPE*: Taxodium distichum / Lemna minor* Forest [Bald Cypress Semi-permanent Impoundment] in the Group: SEMIPERMANENT IMPOUNDMENT
(not represented)	NEW COMMUNITY TYPE: *Pinus serotina / Arundinaria tecta* Woodland [Canebrake Woodland] in the Group: POND PINE WOODLANDS AND POCOSINS

Appendix B. Definitions of global and subnational (state) conservation status ranks.

NatureServe and the Network of Natural Heritage Programs and Conservation Data Centers work together to assign conservation status ranks to elements of biodiversity (plants, animals, and ecological communities). These ranks have been developed using range-wide data collected by the Natural Heritage Network for nearly three decades and are critical in setting conservation priorities. Community types are ranked on a global (G), national (N), and subnational (S) scale of 1 to 5, with 1 indicating critical imperilment due to rarity, endemism, and/or threats, and 5 indicating little or no risk of extirpation or elimination.

The primary ranking factors used in assessing the appropriate conservation status rank for an ecological community element are: (1) the total number of occurrences, and (2) the total area (acreage) of the element. Secondary ranking factors, such as the geographic range over which the element occurs, the threats to the occurrences, and the viability of the occurrences, also affect the rank.

Additional factors that have been used in arriving at an assessment of a community's range-wide (global) rank include the geographic range over which the type occurs, the long term decline of the type across this range, the degree of site specificity exhibited by the type, and the rarity across the range based on state ranks assigned by state Natural Heritage Programs.

To learn more about Natural Heritage Methodology, go to:
http://www.natureserve.org/publications/ConsStatusAssess_RankMethodology.jsp

Global Rank Codes and Definitions

Global ranks (i.e. range-wide conservation status ranks) are assigned at NatureServe's Headquarters or by a designated lead office in the Heritage/Conservation Data Center Network.

GX - Extirpated - Eliminated throughout its range, with no restoration potential due to extinction of dominant or characteristic taxa and or elimination of the sites and ecological processes on which the type depends.

GH - Possibly Extinct (Historical) - Presumed eliminated throughout its range, with no, or virtually no, likelihood that it will be rediscovered, but with potential for restoration (e.g., *Castanea dentata* Forest).

G1 - Critically Imperiled - Critically imperiled globally. At very high risk of elimination due to extreme rarity, very steep declines, or other factors.

G2 - Imperiled - Imperiled globally. At high risk of elimination due to very restricted range, very few occurrences, steep declines, or other factors.

G3 - Vulnerable - Rare or uncommon. At moderate risk of extinction or elimination due to a restricted range, relatively few occurrences, recent and widespread declines, or other factors.

G4 - Apparently Secure - Uncommon but not rare. Apparently secure, but with cause for long-term concern. May be quite rare in parts of its range, especially at the periphery; apparently not vulnerable in most of its range

G5 - Secure - Demonstrably widespread, abundant, and secure. Common, widespread, and abundant, although it may be quite rare in parts of its range, especially at the periphery; not vulnerable in most of its range.

GNA - Rank not applicable - Common cultural, ruderal, planted, modified, managed, invasive, and/or non-natural type that is not a suitable target for conservation activities.

GNR - Not Yet Ranked - Status has not yet been assessed.

GU - Unrankable - Status cannot be determined at this time or due to lack of information or due to substantially conflicting information about status or trends.

G#G# - Rank Range - The actual rank of the element is within the range specified by the numbers; however, the exact status of the rarity of the element is uncertain. For example, G2G3 indicates that the rank may be either G2 or G3.

State Rank Codes and Definitions

State ranks are assigned by the Virginia Division of Natural Heritage and apply to an element only as it exists in the state, regardless of its range-wide status.

SX - Extirpated - Presumed extirpated from the state. Not located despite intensive searches of historical sites and other appropriate habitat, and virtually no likelihood that it will be rediscovered.

SH - Historical - Possibly extirpated (Historical). Historically known from the state, but not verified for an extended period, usually >15 years; this rank is used primarily when inventory has been attempted recently.

S1 - Critically Imperiled - Critically imperiled in the state because of extreme rarity or because of some factor(s) making it especially vulnerable to extirpation from the state; generally with 5 or fewer occurrences state-wide, and/or covering less than 50 ha (124 ac) in aggregate; or covering a larger area but highly threatened with destruction or modification.

S2 - Imperiled - Imperiled in the state because of rarity or because of some factor(s) making it very vulnerable to extirpation from the state. Generally with 6–20 occurrences state-wide, and/or covering less than 250 ha (618 ac) in aggregate; or covering a larger area but threatened with destruction or modification.

S3 - Vulnerable - Vulnerable in the state either because rare and uncommon, or found only in a restricted range (even if abundant at some locations), or because of other factors making it vulnerable to extirpation. Generally with 21–100 occurrences state-wide; or with a larger number of occurrences subject to relatively high levels of threat; may be of relatively frequent occurrence in specific localities or geographic parts of the state.

S4 - Apparently Secure - Uncommon but not rare, and usually widespread in the state. Some cause for long-term concern due to declines or other factors.

S5 - Secure - Demonstrably widespread, abundant, and secure in the state, and essentially ineradicable under present conditions.

SNA - Rank not applicable - Common cultural, ruderal, planted, modified, managed, invasive, and/or non-natural type that is not a suitable target for conservation activities.

SNR - Not Ranked - Status has not yet been assessed. As the state classification is further revised by additional information, the SNR will be changed to a numeric rank based on available data.

SU - Unrankable - Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.

S#S# - Rank Range - The actual rank of the element is within the range specified by the numbers; however, the exact status of the rarity of the element is uncertain. For example, S1S3 indicates that the rank may be either S1, S2, or S3.

Global and State Rank Qualifiers

? - Inexact or Uncertain - A question mark added to a rank expresses an uncertainty about the rank in the range of 1 in either way on the 1-5 scale; for example, a G2? rank indicates that the rank is thought to be G2, but could be G1 or G3

Q - Questionable taxonomy - A "Q" added to a rank denotes questionable taxonomy that may reduce conservation priority; it modifies the degree of imperilment and is only used in cases where the type would have

a less imperiled rank if it were not recognized as a valid type (i.e., if it were combined with a more common type); a GUQ rank often indicates that the type is unrankable because of daunting taxonomic questions.

Appendix C. Number of Classified Community Types by Conservation Status Rank.

The following table shows the number of community types that have been assigned various conservation status ranks. Range ranks were rounded up to the highest whole rank. Ranks with modifiers were counted as the base rank. Percentage of types is the percentage of the total number of classified natural community types in The Natural Communities of Virginia classification.

Global Conservation Rank			State Conservation Rank		
	# of types	% of types*		# of types	% of types*
G1 -Critically imperiled	58	18%	S1 - Critically imperiled	111	35%
G2 – Imperiled	68	21%	S2 – Imperiled	56	18%
G3 – Vulnerable	67	21%	S3 – Vulnerable	68	21%
G4 - Apparently secure	56	18%	S4 - Apparently secure	27	9%
G5 – Secure	18	6%	S5 – Secure	4	1%
GNR - not yet ranked	39	12%	SU – currently unrankable	50	16%
No Global equivalent	11	3%	SX – Extirpated	1	<1%

* Percentage of the total number of natural community types in the classification.