Dam Safety Work Group Department of Conservation & Recreation Division of Soil & Water Conservation

Impounding Structure Maintenance

Presented by:

Ken Turner, District Dam Safety Consultant February 24, 2011



What Will Be Covered

- Maintenance Related Liability
- What causes dams to fail
- Class Objectives
- Maintenance Responsibility



What will be covered, continued

- General Understanding of Maintenance
- Maintenance Activities
- Dam Maintenance Factors
- Dam Maintenance Activities
- Undesirable vegetation
- Examples of Good & Bad Maintenance



Learning Objectives

- Why Dams Fail
- What maintenance is needed
- The difference between well maintained & poorly maintained



Why should I worry about maintenance?

If being a good steward of the environment is not enough of a reason then consider this,

LIABILITY

Under the law the dam owner is liable for damage downstream if their dam breaks and someone dies or property damage occurs. Legal penalties for negligence are much higher.

Proper maintenance of a dam is like that of an older vehicle in need of extensive repair:

- If left unmaintained, repair is expensive.
- If maintenance and repair are performed as needed, costs are minimized.



What causes embankments to fail?

- A. Erosion caused by Overtopping of the Embankment
 Timberlake Dam in Campbell County, VA 2 Dead, >\$1 Million
- B. Erosion due to Piping through the Embankment
 Grand Teton Dam in Idaho 11 Dead, >\$1 Billion
- C. Problems that cause the dam to not function as designed.
- D. External Issues like Earthquakes or Terrorism that the dam was

not designed to survive.



Maintenance Responsibility

The responsibility for proper operation, maintenance, and inspection of most dams falls upon <u>dam owners</u>.

Dam Maintenance Factors

- Factors that affect proper maintenance of dams:
 - Type of dam earthen vs concrete
 - Function of dam flood control, water resource
 - Size of dam 6 ft. vs 70 ft. and storage volume
 - Classification -- the higher the hazard class the higher the standard of duty and standard of are required



Dam Maintenance Factors (Cont.)

- Factors that affect proper maintenance of dams:
 - Watershed characteristics debris producer or not
 - Spillway system characteristics earthen or concrete
 - Prevailing climatic conditions subject to ice damage



Dam Maintenance Activities

- Nurturing (growing) and mowing grassed areas
- Removal of woody vegetation
- Removal of floating debris from outlet works
- Repair of eroded/scoured areas
- Control and repair of wildlife or animal damage



Dam Maintenance Activities (Cont.)

- Opening and closing of outlet gates to ensure operability
- Painting and repair of metal components
- Grouting and sealing concrete joints/cracks
- Removal and protection of spalling concrete
- Repair of embankment surface erosion



Dam Maintenance Activities (Cont.)

- Stabilization of outlet channels
- Repair and replacement of warning signs
- Maintenance of instrumentation/ monitoring systems
- Repair of wave berm erosion



Dam Maintenance Activities (Cont.)

- Removal of diseased trees on lake rim
- Removal of sediment deposits at inlet
- Control and removal of aquatic growth
- Maintenance of emergency access routes



Typical Issues Beyond an Owners Capability

Seepage (piping)
Through the embankment
From around the outfall pipe or cradle
Leaking into the outfall pipe
Separated joints in the outfall pipe
Deep seated slope failure
Structural fill
Cracks, bulges or depressions



Undesirable Vegetation: Tall Grass, Brush & Noxious Weeds

- > Weeds Make Inspections more difficult
- Weeds also provides a haven for borrowing animals
- Grass that attracts wildlife (deer). Deer & cattle take the same path and kill grass.

Undesirable Vegetation: Trees

- Trees can blow over in high winds and severely damage the embankment.
- Tree roots penetrate the embankment and alter its structural integrity.
- Tree roots can become pathways for seepage, especially if the tree dies and roots rot.



Embankments Upstream, Downstream & Top



Tree Problems

Trees on Upstream Embankments









Trees & Roots

Trees within 25' of the Toe







After Removal

30 24 2706

Trees within 25' of the Groins



Trees & Roots (Cont.)

Mower Sliding on Roots Damaged Embankment



Erosion

Department of Conservation & Recreation

CONSERVING VIRGINIAS NATURAL & RECREATIONAL RESOURCES

Damage from Animal Grazing Terresetting



Erosion (Cont.)

Wave Erosion Wake or Wind







4 x 4 or ATV Damage

Erosion (Cont.)







Animal Paths & Motorcycle Trails

Groundhog, Muskrat, Skunk, or Fox Damage



Skunk Den

Groundhog Burrow





Ground Cover or Unusual Plant Growth



Sparse Vegetation



Wetland Plants/Color Change



Seepage and/or Wet Spots on the Toe

Debris on Embankment





Decks, Docks Etc.

Trees pieces parts



No grass on top of dams

Driveways





Slope Failures & Wet Areas

Slope Failure Beginning







Wet areas on embankment above toe

Slope Failures (Cont.)

Not an Owner repair issue.

Deep-seated Slope Failure





Embankments, Maintenance Review

- A. Repair Erosion in any form
- B. Ground Cover Good Fescue Sod 2"-6" long optimum
- C. Remove Trees (on the dam or within 25')
- D. Remove Burrowing Animals, fill dens
- E. Cracks, Settlement, Bulges, Slope Failure Call Engineer
- F. Seepage or Wet Areas on Toe Call Engineer
- G. Seepage in Groins Call Engineer

Note: Trees on the dam with roots larger than 1" in diameter must be grubbed out, lost material replaced, & the disturbed areas stabilized.



Principal Spillways A.K.A. Riser Towers



2 Stage Baffled Concrete Riser

2 Stage Concrete Open Top Design



Riser Towers



Debris Blocking/Surrounding Riser Tower

Department of Conservation & Recreation
CONSERVING VIRGINIAS NATURAL & RECREATIONAL RESOURCES

Single Stage Concrete Riser Tower with Solid Top

Concrete Pipe Riser with Trash Rack & Anti-vortex Device



Principal Spillway

CMP Riser



Single Stage Solid Top Riser



Tower with Debris on Top & In Riser Tower Weir Opening



Riser Towers, Maintenance Review

- A. Repair Spalling or Broken Concrete
- B. Rebar exposed?
- **C.** Repair Rusting Parts
- D. Clear Debris in Openings
- E. Keep Gate Operable
- F. Repair Leaks
- G. Clear Sediment at Gate



CAUTION

OSHA has safety standards regarding entry into confined spaces. Training & special equipment is required. Perhaps, it would be better to have a professional inspect & repair damage to risers and large outfall structures.



CAUTION

Another extreme hazard in working around riser pipes is that flowing water can exert high pressure on things around it. I once saw a video of a jon boat being pulled into a 30 inch riser pipe. Please consider that when removing debris blocking the pipe if the water level is elevated.



Auxiliary Spillways A.K.A. Emergency Spillways



ES Downstream From Control Section





Emergency Spillway



Obstructions in Spillway



Gravel Road Through ES



Entranced Blocked with Trees

39



Fence at Control Section

Department of Conservation & Recreation. CONSERVING VIRGINIA'S NATURAL & RECREATIONAL RESOURCES

Obstruction in Lower Section





Electric Pole, Tree & Garden Plot







Depressed Dirt Road Through ES & Power Pole with Guy Wire

Trees blocking ES Outfall Channel





Low Level Outfall, A.K.A. Bottom Draw Gate



Low Head Gate by Waterman





Low Level Outfall Gate, cont'd



High Pressure Gate (Rodney Hunt)

Poorly Maintained





Typical Gate Operators44

Low Level Outfall Gate



Hydraulically Activated Knife Gate

Gate Controls




CAUTION

An extreme hazard in working around low level gates is that flowing water can exert high pressure on things around it. I once saw a small deer pulled through a 12" x 12" rebar screen, into an 18" pipe, through an 18" valve and deposited into the plunge pool over 300' from the entry point. Please consider that when working near an open gate.



Plunge Pool Outfall Channels





Plunge Pool



Rip - Rap Displaced by Tree Stump and Roots





Plunge Pool & Outfall Channel



Rip Rap Missing Or Displaced









Toe Drain Blocked – Not flowing freely

Spalling Concrete





Beaver Damage



Photo By Don Nelson


High Water Level, Note Dead

Trees in Background



Water Backing Up into Outfall Pipe





Beaver Damage

Outfall Pipe, Plunge Pool & Outfall Channel, Maintenance review

- A. Repair Spalling, cracking or scaling
- B. Exposed rebar
- C. Joints displaced or offset, contact engineer
- D. Leaking into pipe
- E. Leaking under pipe
- F. Plunge pool rip rap in place
- G. Erosion around edge of pool
- H. Erosion of channel banks



Unusual Structures



Potential Piping Sources Sluice Gate to Mill





Instrumentation

IFLOW Device







Monitoring Well

Staff Gauge



55

Questions?







The End 56