Assessing and Ranking Invasive Plant Species in Virginia

Kevin Heffernan

Stewardship Biologist

DCR Division of Natural Heritage



Virginia Invasive Plant Species List



XVA)	NE /	É	1		1.1
1/3	Nels !	Exil		V/A	禮
W.					1
OF	1/2			A S	
Phragm	ites	Tall	MAN.		1



			REGION			
Scientific Name	Common Name	Virginia Invasiveness Rank	Mountain	Piedmont	Coastal	
Ailanthus altissima	Tree-of-heaven	High	•	•		
Alliaria petiolata	Garlic Mustard	High	•	•	0.	
Alternanthera philoxeroides	Alligator-weed	High				
Ampelopsis brevipedunculata	Porcelain-berry	High		•		
Carex kobomugi	Japanese Sand Sedge	High			97	
Celastrus orbiculatus	Oriental Bittersweet	High	•	•		
Centaurea stoebe ssp. micranthos	Spotted Knapweed	High	•	•	0.0	
Cirsium arvense	Canada Thistle	High		•		
Dioscorea polystachya	Cinnamon Vine	High	•			
Elaeagnus umbellata	Autumn Olive	High			970	
Euonymus alatus	Winged Euonymus	High	•	•		
Ficaria verna	Lesser Celandine	High			0 •	
Hydrilla verticillata	Hydrilla	High		•		
Iris pseudacorus	Yellow Flag	High	•			
Lespedeza cuneata	Chinese Lespedeza	High			970	
Ligustrum sinense	Chinese Privet	High				
Lonicera japonica	Japanese Honeysuckle	High			0 •	
Lonicera maackii	Amur Honeysuckle	High				
Lonicera morrowii	Morrow's Honeysuckle	High				
Lythrum salicaria	Purple Loosestrife	High			770	
Microstegium vimineum	Japanese Stiltgrass	High				
The state of the s		100	1000	1000		



A definition

Invasive species are introduced species that cause or have the potential to cause ecological or economic harm or harm to humans.

--Executive Order 13112





The Invasive Species Assessment Protocol: A Tool for Creating Regional and National Lists of Invasive Nonnative Plants That Negatively Impact Biodiversity

Author(s): John M. Randall, Larry E. Morse, Nancy Benton, Ron Hiebert, Stephanie Lu, and Terri Killeffer

Source: Invasive Plant Science and Management, 1(1):36-49. 2008.

Published By: Weed Science Society of America

DOI: 10.1614/IPSM-07-020.1

URL: http://www.bioone.org/doi/full/10.1614/IPSM-07-020.1

BioOne (<u>www.bioone.org</u>) is an electronic aggregator of bioscience research content, and the online home to over 160 journals and books published by not-for-profit societies, associations, museums, institutions, and presses.

Your use of this PDF, the BioOne Web site, and all posted and associated content indicates your acceptance of BioOne's Terms of Use, available at www.bioone.org/page/terms of use.

400,000 +/-




plant species on Earth














Virginia Invasive Plant Species List







Euonymus alatus Ficaria verna Hydrilla verticillata

Iris oseudacorus

Lespedeza cuneata

The state of the s	
Japanese Sand Sedge	High
Oriental Bittersweet	High
Spotted Knapweed	High
Canada Thistle	High
Cinnamon Vine	High
Autumn Olive	High
Winged Euonymus	High
Leccor Colondino	Hinh

Common Name

Tree-of-heaven

Garlic Mustard Alligator-weed

Porcelain-berry

Hydrilla

Yellow Flag

Chinese Lespedeza Chinese Privet

Virginia Invasiveness

High

High

High

High

High





Liqustrum sinense Lonicera japonica

Japanese Honeysuckle Lonicera maackii **Amur Honeysuckle** Lonicera morrowii Morrow's Honeysuckle Lythrum salicaria **Purple Loosestrife** Microstegium vimineum Japanese Stiltgrass Murdannia keisak Marsh Dewflower

plant species on the DCR Invasive Plant Species List


Invasive Plant Risk Assessment Protocol

- Developed by NatureServe and partners
- Scalable to specific state or region
- Multiple choice questions with weighted answers
- Creates a record of the various information sources that goes into the ranking process



The I-rank of a species increases to the degree the species is documented to:

- alter ecosystem processes, such as succession, light availability, water or soil chemistry, hydrology or fire regime
- invade undisturbed natural communities
- cause substantial impacts on rare or vulnerable species or natural communities or high-quality examples of more common communities
- be widely distributed or generally abundant where present
- disperse readily to new areas
- resist control



Invasive Plant Risk Assessment Components

- Screening Questions
- Ecological Impacts
- Current Distribution and Abundance
- Trends in Distribution and Abundance
- Management Difficulty

Ecological Impact

- ecosystem processes
- community structure
- community composition
- individual species
- conservation significance






Current Distribution and Abundance


- current range in region
- proportion of range where negative impacts
- proportion of region's habitats impacted
- diversity of habitats impacted

Tree-of-heaven




Digital Atlas of the Virginia Flora

Beach Vitex



Digital Atlas of the Virginia Flora

Beach Vitex



Trend in Distribution and Abundance

- current trend in region
- proportion of potential range occupied
- long-distance dispersal potential
- ability to invade conservation areas
- similar habitats invaded elsewhere
- reproductive characteristics



Management Difficulty

- general management difficulty
- minimum time commitment
- management impacts on natives
- accessibility of invaded areas



	Home Insert	Page Lay		rmuias	Data		/lew view						
	P29 ▼	(f _∞ Kn	own fro	om 10 c	ount	es in nineteen la	cation	ns to	otalling at least 220 acres. In N	lany sites	s are located near the Appala	
	ABCD E	FGH	1	J	K	L	M	N	0	P	Q	R S	
2	2 SPECIES INFORMATION			A	SSESSOR'S INFO	RMATI	ON						
3	Scientific name:	Oplismenu	is hirtellus	ssp. und	dulatifoliu	Α	ssessor:			Liz Engle, Kevin Heffernan			
4	Synonyms:				Α	ssessor's Affiliation	Σ.		VA DCR Natural Heritage) [
5	Common Name(s): Wavyleaf grass			Ν	lailing Address:			600 E Main St., Richmond, VA 232	19 16th FI				
6	Native Range:	Southern I	Europe; So	outheast	Asia	F	hone:			804-786-9112	Fax:	19	
7	Region of Interest (e.		Mid-Atlanti	c; Easte	rn U.S.		mail:			kevin.heffernan@dcr.virginia.gov	77		
8	Mixed-Status Species	(y/n):		- N			ate Evaluated (mm	/dd/yyy	/y):	August 2013; revised March 2014	9	12	
11	QUALIFYING QUESTI	ONS							10	COMMENTS & SHORT CITATIONS	S		
12	i. Non-native es	tablished or	utside of cu	ultivation	in region	of in	terest?	Yes		Wavyleaf is native to southern Eur		outheast Asia.	
13	ii. Occurs in con							Yes	ij.	Numersous patches were found in	Shenando	oah National Park (Hughes).	
15	I. ECOLOGICAL IMPA	СТ							- 5			1	
16	1. Impact on eco		raccac and	d cyctom	wide na	amet	ore	C	F-1	Does not effect nitrogen/water use	ac an err	sevetem process It can have	
17	2. Impact on eco				-wide pai	ame	CIS			Outcompetes herbaceous layer sp			
18	3. Impact on eco									Wavyleaf produces a sharp reduct			
19	4. Impact on indi									It outcompetes nearly all native pla			
20	5. Conservation					tive s	necies threatened			The particular park (SNP) that way			
41					o dila lia		pooleo tinoatenea			The paracolar pain (em) that have	J1001 10 111	acco support rai e species	
22	II. CURRENT DISTRIE			NCE									
23	Current range size in region								Known from 10 counties in ninetee				
24	7. Proportion of current range where species is negative				ely im	pacting biodiversity			There is high species richness in areas that are invaded (Fleming 201 Known from 10 counties in nineteen locations totalling at least 220 acr				
25 26	78. Proportion of region's biogeographic units invaded79. Diversity of habitats or ecological systems invaded in			rogio			-	Upland forests and well-drained plains (Fleming 2013)					
20	9. Diversity of fla	ibitats of ec	ological sy	stems in	vaueu in	regio	111	C	9.	opiano ioresis and well-drained pia	ams (Fiem	ing 2013)	
28	III. TREND IN DISTRIE												
29	10. Current trend									Known from 10 counties in ninetee			
30	11. Proportion of									USDA says that only a small proportion of the potential range is current			
31	12. Long-distance									The potential for long distance disp			
32	13. Local range e									Expanding and Increasing areas, b			
33	14. Inherent ability			on areas	and oth	er na	tive species habitat			Undisturbed native hardwood fores		een encroached upon	
34	15. Similar habitat									Maryland (Beauchamp 2013; Kyde			
35	16. Reproductive	cnaracteris	tics	- 1				Α	16.	"It reproduces vegetatively, but we	nave no i	dea now fast it is able to	
37	IV. MANAGEMENT DI	FFICULTY											
38	17. General mana	gement diff								Can be treated with herbicide. Sma			
39	18. Minimum time									Typical herbaceous plant control e			
40	19. Impacts of ma			pecies						Not managing it will be worse for na			
41	20. Accessibility o	f invaded a	reas					В	20.	invaded areas in park are difficult t	o get to a	nd they are so spotty it is hard	
43							OTHER CONSIDE	RATIO	NS:				
44				Α	ADJUSTMENT JUSTIFICATION:								
45	(Add * to I-Rank if adj	usted from	calculated	I-Rank)		ŀ	RANK REASONS S	SUMMA	RY:				
48	INFORMATION SOLI	RCES: •	Reaucham	n V et	al 2013	An ir	atroduction to Onlie	menus	und	lulatifolius, wavyleaf basketgrass, a	recent inv	vader in Mid-Atlantic forest unde	
100000000000000000000000000000000000000			250	SVOJEDOSOL	47		ia oddetion to Opiis	menus	unu	midifolius, wavyicai basketgrass, a	TOCOTIL IIIV	add in Mid-Additic forest dildt	
49	(Full citations)	-	Fleming, G			-							
50			Hughs, J. 2	2013. Pe	rs. comm	13							

How Were Plants Chosen for Assessment?

- 109 species on the list in 2012
- Created a database
- Added species from other state and federal lists for the Mid-Atlantic
- EDDMapS
- NatureServe
- recommendations from field staff

Results of the 2013 Assessment

- 90 species
 - 2009 list = 109
- 31 species removed
- 12 species added
 - Eight are early detection species
- 6 species increased ranks
- 4 species decreased ranks

Invasiveness Ranks (I-ranks)

- High
 - 38 species
- Medium
 - 36 species
- Low
 - 16 species

Invasive Plant List -Early Detection Species

- Not yet present, or
- Present, not yet widely established
- Pose demonstrated threat to ecological or economic values
- 10 species on the 2013

Virginia Invasive Plant Species List



	屋	É	1		1.1
1/3	Nels.	EL		1	
X	Fally.				11
A P	1/2		J. K	M.S	N
Phragn	iites		144		1



			REGION			
Scientific Name	Common Name	Virginia Invasiveness Rank	Mountain	Piedmont	Coastal	
Ailanthus altissima	Tree-of-heaven	High		•		
Alliaria petiolata	Garlic Mustard	High	•	•	0.00	
Alternanthera philoxeroides	Alligator-weed	High				
Ampelopsis brevipedunculata	Porcelain-berry	High		•		
Carex kobomugi	Japanese Sand Sedge	High			7/6	
Celastrus orbiculatus	Oriental Bittersweet	High	•	•		
Centaurea stoebe ssp. micranthos	Spotted Knapweed	High	•		0.00	
Cirsium arvense	Canada Thistle	High	•	•		
Dioscorea polystachya	Cinnamon Vine	High	•		10	
Elaeagnus umbellata	Autumn Olive	High	•		77.0	
Euonymus alatus	Winged Euonymus	High		•		
Ficaria verna	Lesser Celandine	High			0.00	
Hydrilla verticillata	Hydrilla	High	•	•		
Iris pseudacorus	Yellow Flag	High	•	•		
Lespedeza cuneata	Chinese Lespedeza	High			77.00	
Ligustrum sinense	Chinese Privet	High		•		
Lonicera japonica	Japanese Honeysuckle	High			0.00	
Lonicera maackii	Amur Honeysuckle	High		•		
Lonicera morrowii	Morrow's Honeysuckle	High	•	•		
Lythrum salicaria	Purple Loosestrife	High	•		7/6	
Microstegium vimineum	Japanese Stiltgrass	High	•			